

Liposuction
CANNULAS & ACCESSORIES

✉ info@zoundsind.com

☎ +92 317 0767067

📍 ZOUNDS INDUSTRIES
P.O Defance Road, Akbar Abad
Sialkot-51310 Pakistan.

Welcome to ZOUNDS INDUSTRIES

Introduction

Zounds Industries sustained an enviable reputation since 1990 being the manufacturer of precision surgical instruments covering each type of surgical specialty. We have distinguished ourselves by providing the high-quality surgical instruments and gained the loyalty, support and innovative ideas from our precious customers worldwide.

Vision:

Zounds Industries emphasis on an unparalleled experience being a trusted individual for business partners, health care professionals and the humanity.

Mission:

Being reliable manufacturer supply for all the surgical requirements by delivering quality at an affordable price with great services and experience.

About Us:

Zounds Industries was established to serve the medical industry with quality surgical instruments under the experience and expertise of many craftsmen. Where traditional manufacturing skills are combined with modern manufacturing techniques, resulting precious quality instruments to meet and enhance customer's expectation level.

With our flexibility and ability to accomplish an individual's needs we earned the confidence of our clients worldwide, which enable us to sustain long-term business relationships with them, based on principles of trust, collaboration, open communication, professional delivery and innovation.

Production:

We have in house production to work with forgings and dies. And being a manufacturer, we not only manufacture standard products, but also are capable to serve with range of services and technologies that enable us to work on custom forgings, drawings and prototypes under assured accuracy.

Quality Certifications:

We are certified:

- 1 - ISO-9001:2015
- 2 - ISO-13485:2016
- 3 – Medical Device Directive 93/42/EEC
- 4 – FDA - USA

Markets:

Our main market of exports includes:

- Europe
- UK
- USA
- South America

Equal Employment opportunity:

We are committed to equal employment opportunity regardless of race, color, ancestry, religion, sex, national origin, sexual orientation, age, citizenship, marital status, disability, gender identity or Veteran status.

Table of Contents

- Cannula Hubs/ Connections
- MICROAIRE-TYPE POWER CANNULA-
- Infiltration Cannula
- General Suction Cannula
- Harvester Cannula
- Injector Cannula
- Speciality Cannula
- Accessories

Cannula Hubs/ Connections

Luer Lock Hub/Connector:

The universal Luer Lock hub enables cannula to attach directly with any Luer Lock Syringe.

Luer Lock Stainless Steel Hub/Connector:

The universal Luer Lock hub enables cannula to attach directly with any Luer Lock Syringe.

Super Luer Lock Hub/Connector:

A modification to general Luer Lock hub which is more powerful, more stable, Leak proof, free from instability and contamination.

Threaded Hub/Connector:

Threaded connector hub style is used mostly for machine assisted Liposuction cannulas, Dibraj Surgical unique Light weight threaded cannula can also be used with ordinary syringe. All you need is Dibraj Surgical connector from threaded to Luer style.

60cc Tommey Hub/Connector:

An ideal hub style for surgeons who love to handle large fat volumes. This hub style connect cannula to a 60cc Tommey to syringe.

Fixed Handle Cannulas:

Zounds Industries super power grip handle fixed with the cannula of your own choice! The unique design of handle offer powerful grip harvesting large volumes. You will feel amazingly comfortable ever after a long operational time. The thumb grip provide a unique opportunity to control the thrust.



MICROAIRE-TYPE POWER CANNULA



MICROAIRE-TYPE POWER CANNULA

Zounds Industries has developed a superior, reusable cannula, fabricated from the highest-quality materials, using tight tolerances to minimize vibration. Now available in a full line of sizes and patterns to meet all your liposuction needs.

- High quality materials and craftsmanship
- Cannula tubing connector designed for a non-slip fit for both aspiration and infiltration tubing
- Reusable / Autoclavable
- Validated cleaning and sterilization instructions

CANNULA PATTERNS



ACCELERATOR

ZI-III-326 PWR	3MM X 26CM STRAIGHT
ZI-III-426 PWR	4MM X 26CM STRAIGHT
ZI-III-432 PWR	4MM X 32CM STRAIGHT
ZI-III-436 PWR	4MM X 36CM STRAIGHT
ZI-III-526 PWR	5MM X 26CM STRAIGHT
ZI-III-532 PWR	5MM X 32CM STRAIGHT



BASKET

ZI-BAS-326 PWR	3MM X 26CM STRAIGHT
ZI-BAS-332 PWR	3MM X 32CM STRAIGHT
ZI-BAS-426 ANG PWR	4MM X 26CM ANGLED
ZI-BAS-426 PWR	4MM X 26CM STRAIGHT
ZI-BAS-432 ANG PWR	4MM X 32CM ANGLED
ZI-BAS-432 PWR	4MM X 32CM STRAIGHT
ZI-BAS-440 ANG PWR	4MM X 40CM ANGLED
ZI-BAS-440 PWR	4MM X 40CM STRAIGHT
ZI-BAS-526 ANG PWR	5MM X 26CM ANGLED
ZI-BAS-526 PWR	5MM X 26CM STRAIGHT
ZI-BAS-532 ANG PWR	5MM X 32CM ANGLED
ZI-BAS-532 PWR	5MM X 32CM STRAIGHT
ZI-BAS-536 ANG PWR	5MM X 36CM ANGLED
ZI-BAS-536 PWR	5MM X 36CM STRAIGHT



DOUBLE BASKET

ZI-DBAS-426 PWR	4MM X 26CM STRAIGHT
ZI-DBAS-432 ANG PWR	4MM X 32CM ANGLED
ZI-DBAS-432 PWR	4MM X 32CM STRAIGHT
ZI-DBAS-440 ANG PWR	4MM X 40CM ANGLED
ZI-DBAS-440 PWR	4MM X 40CM STRAIGHT
ZI-DBAS-526 PWR	5MM X 26CM STRAIGHT
ZI-DBAS-532 PWR	5MM X 32CM STRAIGHT



CANDY CANE

ZI-CC-326 PWR	3MM X 26CM STRAIGHT
ZI-CC-426 PWR	4MM X 26CM STRAIGHT
ZI-CC-432 PWR	4MM X 32CM STRAIGHT
ZI-CC-436 PWR	4MM X 36CM STRAIGHT
ZI-CC-526 PWR	5MM X 26CM STRAIGHT
ZI-CC-532 PWR	5MM X 32CM STRAIGHT



BLACK HOLES

ZI-CC-326 PWR	5MM X 15CM STRAIGHT
ZI-CC-426 PWR	5MM X 20CM STRAIGHT
ZI-CC-432 PWR	5MM X 25CM STRAIGHT
ZI-CC-436 PWR	5MM X 30CM STRAIGHT
ZI-CC-526 PWR	5MM X 35CM STRAIGHT



MERCEDES

ZI-MER-326 PWR	3MM X 26CM STRAIGHT
ZI-MER-426 ANG PWR	4MM X 26CM ANGLED
ZI-MER-426 PWR	4MM X 26CM STRAIGHT
ZI-MER-432 ANG PWR	4MM X 32CM ANGLED
ZI-MER-432 PWR	4MM X 32CM STRAIGHT
ZI-MER-436 ANG PWR	4MM X 36CM ANGLED
ZI-MER-436 PWR	4MM X 36CM STRAIGHT
ZI-MER-526 ANG PWR	5MM X 26CM ANGLED
ZI-MER-526 PWR	5MM X 26CM STRAIGHT
ZI-MER-532 ANG PWR	5MM X 32CM ANGLED
ZI-MER-532 PWR	5MM X 32CM STRAIGHT
ZI-MER-536 ANG PWR	5MM X 36CM ANGLED
ZI-MER-536 PWR	5MM X 36CM STRAIGHT



DOUBLE MERCEDES

ZI-DMER-326 PWR	3MM X 26CM STRAIGHT
ZI-DMER-426 PWR	4MM X 26CM STRAIGHT
ZI-DMER-432 PWR	4MM X 32CM STRAIGHT
ZI-DMER-436 PWR	4MM X 36CM STRAIGHT
ZI-DMER-526 PWR	5MM X 26CM STRAIGHT
ZI-DMER-532 PWR	5MM X 32CM STRAIGHT
ZI-DMER-536 PWR	5MM X 36CM STRAIGHT



HELIX 3 PORT

ZI-HLX-326 PWR	3MM X 26CM STRAIGHT
ZI-HLX-332 PWR	3MM X 32CM STRAIGHT
ZI-HLX-426 PWR	4MM X 26CM STRAIGHT
ZI-HLX-432 PWR	4MM X 32CM STRAIGHT
ZI-HLX-436 PWR	4MM X 36CM STRAIGHT
ZI-HLX-526 PWR	5MM X 26CM STRAIGHT
ZI-HLX-532 PWR	5MM X 32CM STRAIGHT
ZI-HLX-536 PWR	5MM X 36CM STRAIGHT



LARGE VOLUME HARVESTER

ZI-LVH-326 PWR	3MM X 26CM STRAIGHT
ZI-LVH-332 PWR	3MM X 32CM STRAIGHT
ZI-LVH-426 PWR	4MM X 26CM STRAIGHT
ZI-LVH-432 PWR	4MM X 32CM STRAIGHT
ZI-LVH-440 PWR	4MM X 40CM STRAIGHT
ZI-LVH-526 PWR	5MM X 26CM STRAIGHT
ZI-LVH-532 PWR	5MM X 32CM STRAIGHT



SPATULA

ZI-SPA-315 PWR	3MM X 15CM STRAIGHT
ZI-SPA-415 PWR	4MM X 15CM STRAIGHT



BLACK HOLES

ZI-CC-326 PWR	3MM X 15CM STRAIGHT
ZI-CC-426 PWR	3MM X 20CM STRAIGHT
ZI-CC-432 PWR	3MM X 25CM STRAIGHT
ZI-CC-436 PWR	3MM X 30CM STRAIGHT
ZI-CC-526 PWR	3MM X 35CM STRAIGHT



LUER LOCK CANNULA

(Stainless Steel)

CANNULAS DIFFERENT SHAPES




Infiltration Cannulas

Zounds Industries Infiltration Cannulas are designed for safe and efficient delivery of tumescent solution. The spiral micro holes on cannula ensure an even distribution of local anesthetic which results in a longer anesthetic effect. This is a less painful and more pleasant liposuction experience for the patient.

**CANNULA
IN BLACK**



Infiltration Cannulas



Tumescent Infiltrator

This cannula is used specifically for the infusion of tumescent solution. The configuration of the ports allows even distribution of the fluid.

60ccTommeyhub

ZI-101.01	Ø 2.5 mm X 15 cm
ZI-101.02	Ø 2.5 mm X 20 cm
ZI-101.03	Ø 3.0 mm X 20 cm
ZI-101.04	Ø 3.0 mm X 25 cm

Treaded Hub

ZI-102.01	Ø 2.0 mm X 15 cm
ZI-102.02	Ø 3.0 mm X 15 cm
ZI-102.03	Ø 3.0 mm X 20 cm
ZI-102.04	Ø 3.0 mm X 30 cm
ZI-102.05	Ø 4.0 mm X 20 cm
ZI-102.06	Ø 4.0 mm X 30 cm

Ultra Luer lock

ZI-103.01	Ø 1.0 mm X 5 cm
ZI-103.02	Ø 1.0 mm X 7 cm
ZI-103.03	Ø 1.5 mm X 7 cm
ZI-103.04	Ø 1.5 mm X 9 cm

Luer lock

ZI-104.01	Ø 1.0 mm X 4 cm
ZI-104.02	Ø 1.0 mm X 5 cm
ZI-104.03	Ø 1.5 mm X 7 cm
ZI-104.04	Ø 1.5 mm X 9 cm
ZI-104.05	Ø 1.5 mm X 10 cm
ZI-104.06	Ø 1.5 mm X 12 cm
ZI-104.07	Ø 2.0 mm X 10 cm
ZI-104.08	Ø 2.0 mm X 12 cm
ZI-104.09	Ø 2.0 mm X 15 cm
ZI-104.10	Ø 2.0 mm X 20 cm
ZI-104.11	Ø 2.5 mm X 15 cm
ZI-104.12	Ø 2.5 mm X 20 cm
ZI-104.13	Ø 3.0 mm X 15 cm
ZI-104.14	Ø 3.0 mm X 20 cm



Luer lock (Stainless Steel)

ZI-105.01	Ø 1.0 mm X 4 cm
ZI-105.02	Ø 1.0 mm X 5 cm
ZI-105.03	Ø 1.0 mm X 7 cm
ZI-105.04	Ø 1.5 mm X 7 cm
ZI-105.05	Ø 1.5 mm X 9 cm
ZI-105.06	Ø 1.5 mm X 10 cm
ZI-105.07	Ø 1.5 mm X 12 cm
ZI-105.08	Ø 2.0 mm X 10 cm
ZI-105.09	Ø 2.0 mm X 12 cm
ZI-105.10	Ø 2.0 mm X 15 cm
ZI-105.11	Ø 2.0 mm X 20 cm
ZI-105.12	Ø 2.5 mm X 15 cm
ZI-105.13	Ø 2.5 mm X 20 cm
ZI-105.14	Ø 3.0 mm X 15 cm
ZI-105.15	Ø 3.0 mm X 20 cm

Power Cannula

ZI-106.01	Ø 2.0 mm X 15 cm
ZI-106.02	Ø 2.0 mm X 20 cm
ZI-106.03	Ø 2.0 mm X 25 cm
ZI-106.04	Ø 2.0 mm X 30 cm
ZI-106.05	Ø 2.0 mm X 35 cm
ZI-106.06	Ø 3.0 mm X 15 cm
ZI-106.07	Ø 3.0 mm X 20 cm
ZI-106.08	Ø 3.0 mm X 25 cm
ZI-106.09	Ø 3.0 mm X 30 cm
ZI-106.10	Ø 3.0 mm X 35 cm
ZI-106.11	Ø 4.0 mm X 15 cm
ZI-106.12	Ø 4.0 mm X 20 cm
ZI-106.13	Ø 4.0 mm X 25 cm
ZI-106.14	Ø 4.0 mm X 30 cm
ZI-106.15	Ø 4.0 mm X 35 cm
ZI-106.16	Ø 5.0 mm X 15 cm
ZI-106.17	Ø 5.0 mm X 20 cm
ZI-106.18	Ø 5.0 mm X 25 cm
ZI-106.19	Ø 5.0 mm X 30 cm
ZI-106.20	Ø 5.0 mm X 35 cm
ZI-106.21	Ø 6.0 mm X 15 cm
ZI-106.22	Ø 6.0 mm X 20 cm
ZI-106.23	Ø 6.0 mm X 25 cm
ZI-106.24	Ø 6.0 mm X 30 cm
ZI-106.25	Ø 6.0 mm X 35 cm

Infiltration Cannulas



Tumescent Bayonet Infiltrator

The bayonet shaped handles allow an easier manipulation

60ccTommeyhub

ZI-101.11	Ø 2.0 mm X 15 cm
ZI-101.12	Ø 2.5 mm X 20 cm
ZI-101.13	Ø 3.0 mm X 20 cm
ZI-101.14	Ø 3.0 mm X 25 cm

Treaded Hub

ZI-102.11	Ø 2.0mm X 15 cm
ZI-102.12	Ø 3.0mm X 15 cm
ZI-102.13	Ø 3.0mm X 20 cm
ZI-102.14	Ø 3.0mm X 30 cm
ZI-102.15	Ø 4.0mm X 20 cm
ZI-102.16	Ø 4.0mm X 30 cm

Ultra Luer lock

ZI-103.11	Ø 1.0 mm X 5 cm
ZI-103.12	Ø 1.0 mm X 7 cm
ZI-103.13	Ø 1.5 mm X 7 cm
ZI-103.14	Ø 1.5 mm X 9 cm

Luer lock

ZI-104.11	Ø 1.0 mm X 4 cm
ZI-104.12	Ø 1.0 mm X 5 cm
ZI-104.13	Ø 1.0 mm X 7 cm
ZI-104.14	Ø 1.5 mm X 7 cm
ZI-104.15	Ø 1.5 mm X 9 cm
ZI-104.16	Ø 1.5 mm X 10 cm
ZI-104.17	Ø 1.5 mm X 12 cm
ZI-104.18	Ø 2.0 mm X 10 cm
ZI-104.19	Ø 2.0 mm X 12 cm
ZI-104.20	Ø 2.0 mm X 15 cm
ZI-104.21	Ø 2.0 mm X 20 cm
ZI-104.22	Ø 2.5 mm X 15 cm
ZI-104.23	Ø 2.5 mm X 20 cm
ZI-104.24	Ø 3.0 mm X 15 cm
ZI-104.25	Ø 3.0 mm X 20 cm


Luer lock (Stainless Steel)

ZI-105.21	Ø 1.0 mm X 4 cm
ZI-105.22	Ø 1.0 mm X 5 cm
ZI-105.23	Ø 1.0 mm X 7 cm
ZI-105.24	Ø 1.5 mm X 7 cm
ZI-105.25	Ø 1.5 mm X 9 cm
ZI-105.26	Ø 1.5 mm X 10 cm
ZI-105.27	Ø 1.5 mm X 12 cm
ZI-105.28	Ø 2.0 mm X 10 cm
ZI-105.29	Ø 2.0 mm X 12 cm
ZI-105.30	Ø 2.0 mm X 15 cm
ZI-105.31	Ø 2.0 mm X 20 cm
ZI-105.32	Ø 2.5 mm X 15 cm
ZI-105.33	Ø 2.5 mm X 20 cm
ZI-105.34	Ø 3.0 mm X 15 cm
ZI-105.35	Ø 3.0 mm X 20 cm

Power Cannula

ZI-106.31	Ø 2 mm X 15 cm
ZI-106.32	Ø 2 mm X 20 cm
ZI-106.33	Ø 2 mm X 25 cm
ZI-106.34	Ø 2 mm X 30 cm
ZI-106.35	Ø 2 mm X 35 cm
ZI-106.36	Ø 3 mm X 15 cm
ZI-106.37	Ø 3 mm X 20 cm
ZI-106.38	Ø 3 mm X 25 cm
ZI-106.39	Ø 3 mm X 30 cm
ZI-106.40	Ø 3 mm X 35 cm
ZI-106.41	Ø 4 mm X 15 cm
ZI-106.42	Ø 4 mm X 20 cm
ZI-106.43	Ø 4 mm X 25 cm
ZI-106.44	Ø 4 mm X 30 cm
ZI-106.45	Ø 4 mm X 35 cm
ZI-106.46	Ø 5 mm X 15 cm
ZI-106.47	Ø 5 mm X 20 cm
ZI-106.48	Ø 5 mm X 25 cm
ZI-106.49	Ø 5 mm X 30 cm
ZI-106.50	Ø 5 mm X 35 cm
ZI-106.51	Ø 6 mm X 15 cm
ZI-106.52	Ø 6 mm X 20 cm
ZI-106.53	Ø 6 mm X 25 cm
ZI-106.54	Ø 6 mm X 30 cm
ZI-106.55	Ø 6 mm X 35 cm

Infiltration Cannulas



Tumescent Infiltrator Angled

This cannula is used specifically for the infusion of tumescent solution. The configuration of the ports allows even distribution of the fluid.

60cc Tommeyhub

ZI-101.21	Ø 2.0 mm X 15 cm
ZI-101.22	Ø 2.5 mm X 20 cm
ZI-101.23	Ø 3.0 mm X 20 cm
ZI-101.24	Ø 3.0 mm X 25 cm

Treaded Hub

ZI-102.21	Ø 2.0mm X 15 cm
ZI-102.22	Ø 3.0mm X 15 cm
ZI-102.23	Ø 3.0mm X 20 cm
ZI-102.24	Ø 3.0mm X 30 cm
ZI-102.25	Ø 4.0mm X 20 cm
ZI-102.26	Ø 4.0mm X 30 cm

Ultra Luer lock

ZI-103.21	Ø 1.0 mm X 5 cm
ZI-103.22	Ø 1.0 mm X 7 cm
ZI-103.23	Ø 1.5 mm X 7 cm
ZI-103.24	Ø 1.5 mm X 9 cm

Luer lock

ZI-104.31	Ø 1.0 mm X 4 cm
ZI-104.32	Ø 1.0 mm X 5 cm
ZI-104.33	Ø 1.0 mm X 7 cm
ZI-104.34	Ø 1.5 mm X 7 cm
ZI-104.35	Ø 1.5 mm X 9 cm
ZI-104.36	Ø 1.5 mm X 10 cm
ZI-104.37	Ø 1.5 mm X 12 cm
ZI-104.38	Ø 2.0 mm X 10 cm
ZI-104.39	Ø 2.0 mm X 12 cm
ZI-104.40	Ø 2.0 mm X 15 cm
ZI-104.41	Ø 2.0 mm X 20 cm
ZI-104.42	Ø 2.5 mm X 15 cm
ZI-104.43	Ø 2.5 mm X 20 cm
ZI-104.44	Ø 3.0 mm X 15 cm
ZI-104.45	Ø 3.0 mm X 20 cm


Luer lock (Stainless Steel)

ZI-105.41	Ø 1.0 mm X 4 cm
ZI-105.42	Ø 1.0 mm X 5 cm
ZI-105.43	Ø 1.0 mm X 7 cm
ZI-105.44	Ø 1.5 mm X 7 cm
ZI-105.45	Ø 1.5 mm X 9 cm
ZI-105.46	Ø 1.5 mm X 10 cm
ZI-105.47	Ø 1.5 mm X 12 cm
ZI-105.48	Ø 2.0 mm X 10 cm
ZI-105.49	Ø 2.0 mm X 12 cm
ZI-105.50	Ø 2.0 mm X 15 cm
ZI-105.51	Ø 2.0 mm X 20 cm
ZI-105.52	Ø 2.5 mm X 15 cm
ZI-105.53	Ø 2.5 mm X 20 cm
ZI-105.54	Ø 3.0 mm X 15 cm
ZI-105.55	Ø 3.0 mm X 20 cm

Power Cannula

ZI-106.61	Ø 2 mm X 15 cm
ZI-106.62	Ø 2 mm X 20 cm
ZI-106.63	Ø 2 mm X 25 cm
ZI-106.64	Ø 2 mm X 30 cm
ZI-106.65	Ø 2 mm X 35 cm
ZI-106.66	Ø 3 mm X 15 cm
ZI-106.67	Ø 3 mm X 20 cm
ZI-106.68	Ø 3 mm X 25 cm
ZI-106.69	Ø 3 mm X 30 cm
ZI-106.70	Ø 3 mm X 35 cm
ZI-106.71	Ø 4 mm X 15 cm
ZI-106.72	Ø 4 mm X 20 cm
ZI-106.73	Ø 4 mm X 25 cm
ZI-106.74	Ø 4 mm X 30 cm
ZI-106.75	Ø 4 mm X 35 cm
ZI-106.76	Ø 5 mm X 15 cm
ZI-106.77	Ø 5 mm X 20 cm
ZI-106.78	Ø 5 mm X 25 cm
ZI-106.79	Ø 5 mm X 30 cm
ZI-106.80	Ø 5 mm X 35 cm
ZI-106.81	Ø 6 mm X 15 cm
ZI-106.82	Ø 6 mm X 20 cm
ZI-106.83	Ø 6 mm X 25 cm
ZI-106.84	Ø 6 mm X 30 cm
ZI-106.85	Ø 6 mm X 35 cm

Infiltration Cannulas



Facelift Infiltration Cannula

This cannula is used specifically for the infusion of tumescent solution. The configuration of the ports allows even distribution of the fluid.

60cc Tommeyhub

ZI-101.31	Ø 2.0 mm X 15 cm
ZI-101.32	Ø 2.5 mm X 20 cm
ZI-101.33	Ø 3.0 mm X 20 cm
ZI-101.34	Ø 3.0 mm X 25 cm

Treaded Hub

ZI-102.31	Ø 2.0mm X 15 cm
ZI-102.32	Ø 3.0mm X 15 cm
ZI-102.33	Ø 3.0mm X 20 cm
ZI-102.34	Ø 3.0mm X 30 cm
ZI-102.35	Ø 4.0mm X 20 cm
ZI-102.36	Ø 4.0mm X 30 cm

Ultra Luer lock

ZI-103.31	Ø 1.0 mm X 5 cm
ZI-103.32	Ø 1.0 mm X 7 cm
ZI-103.33	Ø 1.5 mm X 7 cm
ZI-103.34	Ø 1.5 mm X 9 cm

Luer lock

ZI-104.51	Ø 1.0 mm X 4 cm
ZI-104.52	Ø 1.0 mm X 5 cm
ZI-104.53	Ø 1.0 mm X 7 cm
ZI-104.54	Ø 1.5 mm X 7 cm
ZI-104.55	Ø 1.5 mm X 9 cm
ZI-104.56	Ø 1.5 mm X 10 cm
ZI-104.57	Ø 1.5 mm X 12 cm
ZI-104.58	Ø 2.0 mm X 10 cm
ZI-104.59	Ø 2.0 mm X 12 cm
ZI-104.50	Ø 2.0 mm X 15 cm
ZI-104.51	Ø 2.0 mm X 20 cm
ZI-104.52	Ø 2.5 mm X 15 cm
ZI-104.53	Ø 2.5 mm X 20 cm
ZI-104.54	Ø 3.0 mm X 15 cm
ZI-104.55	Ø 3.0 mm X 20 cm

Luer lock (Stainless Steel)

ZI-105.61	Ø 1.0 mm X 4 cm
ZI-105.62	Ø 1.0 mm X 5 cm
ZI-105.63	Ø 1.0 mm X 7 cm
ZI-105.64	Ø 1.5 mm X 7 cm
ZI-105.65	Ø 1.5 mm X 9 cm
ZI-105.66	Ø 1.5 mm X 10 cm
ZI-105.67	Ø 1.5 mm X 12 cm
ZI-105.68	Ø 2.0 mm X 10 cm
ZI-105.69	Ø 2.0 mm X 12 cm
ZI-105.70	Ø 2.0 mm X 15 cm
ZI-105.71	Ø 2.0 mm X 20 cm
ZI-105.72	Ø 2.5 mm X 15 cm
ZI-105.73	Ø 2.5 mm X 20 cm
ZI-105.74	Ø 3.0 mm X 15 cm
ZI-105.75	Ø 3.0 mm X 20 cm

Power Cannula

ZI-106.91	Ø 2 mm X 15 cm
ZI-106.92	Ø 2 mm X 20 cm
ZI-106.93	Ø 2 mm X 25 cm
ZI-106.94	Ø 2 mm X 30 cm
ZI-106.95	Ø 2 mm X 35 cm
ZI-106.96	Ø 3 mm X 15 cm
ZI-106.97	Ø 3 mm X 20 cm
ZI-106.98	Ø 3 mm X 25 cm
ZI-106.99	Ø 3 mm X 30 cm
ZI-106.100	Ø 3 mm X 35 cm
ZI-106.101	Ø 4 mm X 15 cm
ZI-106.102	Ø 4 mm X 20 cm
ZI-106.103	Ø 4 mm X 25 cm
ZI-106.104	Ø 4 mm X 30 cm
ZI-106.105	Ø 4 mm X 35 cm
ZI-106.106	Ø 5 mm X 15 cm
ZI-106.107	Ø 5 mm X 20 cm
ZI-106.108	Ø 5 mm X 25 cm
ZI-106.109	Ø 5 mm X 30 cm
ZI-106.110	Ø 5 mm X 35 cm
ZI-106.111	Ø 6 mm X 15 cm
ZI-106.112	Ø 6 mm X 20 cm
ZI-106.113	Ø 6 mm X 25 cm
ZI-106.114	Ø 6 mm X 30 cm
ZI-106.115	Ø 6 mm X 35 cm




SMART *life*
with


GENERAL SUCTION Cannulas

Zounds Industries General suction cannula are ideal tool for large volume Harvesting with ease perfection.

These cannulas are designed to facilitate you to get perfectly designed goals in minimum time..



General Suction *Cannulas*



Stevens Style Cannula

60cc Tommeyhub

ZI-201.01	Ø 2.0 mm X 15 cm
ZI-201.02	Ø 2.5 mm X 20 cm
ZI-201.03	Ø 3.0 mm X 20 cm
ZI-201.04	Ø 3.0 mm X 25 cm

Treaded Hub

ZI-202.01	Ø 3.0 mm X 20 cm
ZI-202.02	Ø 3.0 mm X 30 cm
ZI-202.03	Ø 4.0 mm X 30 cm
ZI-202.04	Ø 5.0 mm X 30 cm
ZI-202.05	Ø 6.0 mm X 30 cm

Ultra Luer lock

ZI-203.01	Ø 1.0 mm X 5 cm
ZI-203.02	Ø 1.0 mm X 7 cm
ZI-203.03	Ø 1.5 mm X 7 cm
ZI-203.04	Ø 1.5 mm X 9 cm
ZI-203.05	Ø 1.5 mm X 7 cm

Luer lock

ZI-204.01	Ø 1.0 mm X 4 cm
ZI-204.02	Ø 1.0 mm X 5 cm
ZI-204.03	Ø 1.0 mm X 7 cm
ZI-204.04	Ø 1.5 mm X 7 cm
ZI-204.05	Ø 1.5 mm X 9 cm
ZI-204.06	Ø 1.5 mm X 10 cm
ZI-204.07	Ø 1.5 mm X 12 cm
ZI-204.08	Ø 2.0 mm X 10 cm
ZI-204.09	Ø 2.0 mm X 12 cm
ZI-204.10	Ø 2.0 mm X 15 cm
ZI-204.11	Ø 2.0 mm X 20 cm
ZI-204.12	Ø 2.5 mm X 15 cm
ZI-204.13	Ø 2.5 mm X 20 cm
ZI-204.14	Ø 3.0 mm X 15 cm
ZI-204.15	Ø 3.0 mm X 20 cm


Luer lock (Stainless Steel)

ZI-205.01	Ø 1.0 mm X 4 cm
ZI-205.02	Ø 1.0 mm X 5 cm
ZI-205.03	Ø 1.0 mm X 7 cm
ZI-205.04	Ø 1.5 mm X 7 cm
ZI-205.05	Ø 1.5 mm X 9 cm
ZI-205.06	Ø 1.5 mm X 10 cm
ZI-205.07	Ø 1.5 mm X 12 cm
ZI-205.08	Ø 2.0 mm X 10 cm
ZI-205.09	Ø 2.0 mm X 12 cm
ZI-205.10	Ø 2.0 mm X 15 cm
ZI-205.11	Ø 2.0 mm X 20 cm
ZI-205.12	Ø 2.5 mm X 15 cm
ZI-205.13	Ø 2.5 mm X 20 cm
ZI-205.14	Ø 3.0 mm X 15 cm
ZI-205.15	Ø 3.0 mm X 20 cm

Power Cannula

ZI-206.01	Ø 2 mm X 15 cm
ZI-206.02	Ø 2 mm X 20 cm
ZI-206.03	Ø 2 mm X 25 cm
ZI-206.04	Ø 2 mm X 30 cm
ZI-206.05	Ø 2 mm X 35 cm
ZI-206.06	Ø 3 mm X 15 cm
ZI-206.07	Ø 3 mm X 20 cm
ZI-206.08	Ø 3 mm X 25 cm
ZI-206.09	Ø 3 mm X 30 cm
ZI-206.10	Ø 3 mm X 35 cm
ZI-206.11	Ø 4 mm X 15 cm
ZI-206.12	Ø 4 mm X 20 cm
ZI-206.13	Ø 4 mm X 25 cm
ZI-206.14	Ø 4 mm X 30 cm
ZI-206.15	Ø 4 mm X 35 cm
ZI-206.16	Ø 5 mm X 15 cm
ZI-206.17	Ø 5 mm X 20 cm
ZI-206.18	Ø 5 mm X 25 cm
ZI-206.19	Ø 5 mm X 30 cm
ZI-206.20	Ø 5 mm X 35 cm
ZI-206.21	Ø 6 mm X 15 cm
ZI-206.22	Ø 6 mm X 20 cm
ZI-206.23	Ø 6 mm X 25 cm
ZI-206.24	Ø 6 mm X 30 cm
ZI-206.25	Ø 6 mm X 35 cm

General Suction *Cannulas*



Cobra Bibevel Style

More aggressive than the Standard, Pyramid or Mercedes, this cannula has a tapered tip with two ports and works effectively within dense fibrous tissue.

60cc Tommeyhub

ZI-201.11	Ø 2.5 mm X 15 cm5
ZI-201.12	Ø 2.5 mm X 20 cm
ZI-201.13	Ø 3.0 mm X 15 cm
ZI-201.14	Ø 3.0 mm X 20 cm
ZI-201.15	Ø 3.0 mm X 25 cm
ZI-201.16	Ø 4.0 mm X 25 cm
ZI-201.17	Ø 4.0 mm X 30 cm
ZI-201.18	Ø 4.0 mm X 35 cm
ZI-201.19	Ø 4.5 mm X 30 cm
ZI-201.20	Ø 4.5 mm X 35 cm

Treaded Hub

ZI-202.11	Ø 3.0 mm X 15 cm
ZI-202.12	Ø 3.0 mm X 25 cm
ZI-202.13	Ø 4.0 mm X 15 cm
ZI-202.14	Ø 4.0 mm X 25 cm

Ultra Luer lock

ZI-203.11	Ø 2.0 mm X 15 cm
ZI-203.12	Ø 2.5 mm X 15 cm
ZI-203.13	Ø 2.5 mm X 20 cm
ZI-203.14	Ø 3.0 mm X 15 cm
ZI-203.15	Ø 3.0 mm X 20 cm
ZI-203.16	Ø 3.0 mm X 25 cm

Luer lock

ZI-204.21	Ø 2.0 mm X 15 cm
ZI-204.22	Ø 2.5 mm X 15 cm
ZI-204.23	Ø 2.5 mm X 20 cm
ZI-204.24	Ø 3.0 mm X 15 cm
ZI-204.25	Ø 3.0 mm X 20 cm
ZI-204.26	Ø 3.0 mm X 25 cm


Luer lock (Stainless Steel)

ZI-205.21	Ø 2.0 mm X 15 cm
ZI-205.22	Ø 2.5 mm X 15 cm
ZI-205.23	Ø 2.5 mm X 20 cm
ZI-205.24	Ø 3.0 mm X 15 cm
ZI-205.25	Ø 3.0 mm X 20 cm
ZI-205.26	Ø 3.0 mm X 25 cm

Power Cannula

ZI-206.31	Ø 2mm X 15 cm
ZI-206.32	Ø 2mm X 20 cm
ZI-206.33	Ø 2mm X 25 cm
ZI-206.34	Ø 2mm X 30 cm
ZI-206.35	Ø 2mm X 35 cm
ZI-206.36	Ø 3mm X 15 cm
ZI-206.37	Ø 3mm X 20 cm
ZI-206.38	Ø 3mm X 25 cm
ZI-206.39	Ø 3mm X 30 cm
ZI-206.40	Ø 3mm X 35 cm
ZI-206.41	Ø 4mm X 15 cm
ZI-206.42	Ø 4mm X 20 cm
ZI-206.43	Ø 4mm X 25 cm
ZI-206.44	Ø 4mm X 30 cm
ZI-206.45	Ø 4mm X 35 cm
ZI-206.46	Ø 5mm X 15 cm
ZI-206.47	Ø 5mm X 20 cm
ZI-206.48	Ø 5mm X 25 cm
ZI-206.49	Ø 5mm X 30 cm
ZI-206.50	Ø 5mm X 35 cm
ZI-206.51	Ø 6mm X 15 cm
ZI-206.52	Ø 6mm X 20 cm
ZI-206.53	Ø 6mm X 25 cm
ZI-206.54	Ø 6mm X 30 cm
ZI-206.55	Ø 6mm X 35 cm

General Suction *Cannulas*



Cobra Style Round Tip

Less aggressive than the Cobra Bibevel this cell friendly cannula has a rounded tip with two ports and works effectively within dense fibrous tissue during liposuction procedures.

60ccTommeyhub

ZI-201.21	Ø 2.5 mm X 15 cm
ZI-201.22	Ø 2.5 mm X 20 cm
ZI-201.23	Ø 3.0 mm X 15 cm
ZI-201.24	Ø 3.0 mm X 20 cm
ZI-201.25	Ø 3.0 mm X 25 cm
ZI-201.26	Ø 4.0 mm X 25 cm
ZI-201.27	Ø 4.0 mm X 30 cm
ZI-201.28	Ø 4.0 mm X 35 cm
ZI-201.29	Ø 4.5 mm X 30 cm
ZI-201.30	Ø 4.5 mm X 35 cm

Treaded Hub

ZI-202.21	Ø 3.0 mm X 15 cm
ZI-202.22	Ø 3.0 mm X 25 cm
ZI-202.23	Ø 4.0 mm X 15 cm
ZI-202.24	Ø 4.0 mm X 25 cm

Ultra Luer lock

ZI-203.21	Ø 2.0 mm X 15 cm
ZI-203.22	Ø 2.5 mm X 15 cm
ZI-203.23	Ø 2.5 mm X 20 cm
ZI-203.24	Ø 3.0 mm X 15 cm
ZI-203.25	Ø 3.0 mm X 20 cm
ZI-203.26	Ø 3.0 mm X 25 cm

Luer lock

ZI-204.31	Ø 2.0 mm X 15 cm
ZI-204.32	Ø 2.5 mm X 15 cm
ZI-204.33	Ø 2.5 mm X 20 cm
ZI-204.34	Ø 3.0 mm X 15 cm
ZI-204.35	Ø 3.0 mm X 20 cm
ZI-204.36	Ø 3.0 mm X 25 cm


Luer lock (Stainless Steel)

ZI-205.31	Ø 2.0 mm X 15 cm
ZI-205.32	Ø 2.5 mm X 15 cm
ZI-205.33	Ø 2.5 mm X 20 cm
ZI-205.34	Ø 3.0 mm X 15 cm
ZI-205.35	Ø 3.0 mm X 20 cm
ZI-205.36	Ø 3.0 mm X 25 cm

Power Cannula

ZI-206.61	Ø 2 mm X 15 cm
ZI-206.62	Ø 2 mm X 20 cm
ZI-206.63	Ø 2 mm X 25 cm
ZI-206.64	Ø 2 mm X 30 cm
ZI-206.65	Ø 2 mm X 35 cm
ZI-206.66	Ø 3 mm X 15 cm
ZI-206.67	Ø 3 mm X 20 cm
ZI-206.68	Ø 3 mm X 25 cm
ZI-206.69	Ø 3 mm X 30 cm
ZI-206.70	Ø 3 mm X 35 cm
ZI-206.71	Ø 4 mm X 15 cm
ZI-206.72	Ø 4 mm X 20 cm
ZI-206.73	Ø 4 mm X 25 cm
ZI-206.74	Ø 4 mm X 30 cm
ZI-206.75	Ø 4 mm X 35 cm
ZI-206.76	Ø 5 mm X 15 cm
ZI-206.77	Ø 5 mm X 20 cm
ZI-206.78	Ø 5 mm X 25 cm
ZI-206.79	Ø 5 mm X 30 cm
ZI-206.80	Ø 5 mm X 35 cm
ZI-206.81	Ø 6 mm X 15 cm
ZI-206.82	Ø 6 mm X 20 cm
ZI-206.83	Ø 6 mm X 25 cm
ZI-206.84	Ø 6 mm X 30 cm
ZI-206.85	Ø 6 mm X 35 cm

General Suction *Cannulas*



Standard, Single Hole

This is the most common cell friendly cannula design for soft tissue removal. The single port is located 180 degrees from the thumb rest on the hub.

60ccTommeyhub

ZI-201.31	Ø 2.5 mm X 15 cm
ZI-201.32	Ø 2.5 mm X 20 cm
ZI-201.33	Ø 3.0 mm X 15 cm
ZI-201.34	Ø 3.0 mm X 20 cm
ZI-201.35	Ø 3.0 mm X 25 cm
ZI-201.36	Ø 4.0 mm X 25 cm
ZI-201.37	Ø 4.0 mm X 30 cm
ZI-201.38	Ø 4.0 mm X 35 cm
ZI-201.39	Ø 4.5 mm X 30 cm
ZI-201.40	Ø 4.5 mm X 35 cm

Treaded Hub

ZI-202.31	Ø 3.0 mm X 15 cm
ZI-202.32	Ø 3.0 mm X 25 cm
ZI-202.33	Ø 4.0 mm X 15 cm
ZI-202.34	Ø 4.0 mm X 25 cm

Ultra Luer lock

ZI-203.31	Ø 1.5 mm X 12 cm
ZI-203.32	Ø 2.0 mm X 15 cm
ZI-203.33	Ø 2.0 mm X 20 cm
ZI-203.34	Ø 2.5 mm X 15 cm
ZI-203.35	Ø 2.5 mm X 20 cm
ZI-203.36	Ø 3.0 mm X 15 cm
ZI-203.37	Ø 3.0 mm X 20 cm
ZI-203.38	Ø 3.0 mm X 25 cm

Luer lock

ZI-204.41	Ø 1.5 mm X 12 cm
ZI-204.42	Ø 2.0 mm X 15 cm
ZI-204.43	Ø 2.0 mm X 20 cm
ZI-204.44	Ø 2.5 mm X 15 cm
ZI-204.45	Ø 2.5 mm X 20 cm
ZI-204.46	Ø 3.0 mm X 15 cm
ZI-204.47	Ø 3.0 mm X 20 cm
ZI-204.48	Ø 3.0 mm X 25 cm


Luer lock (Stainless Steel)

ZI-205.41	Ø 1.5 mm X 12 cm
ZI-205.42	Ø 2.0 mm X 15 cm
ZI-205.43	Ø 2.0 mm X 20 cm
ZI-205.44	Ø 2.5 mm X 15 cm
ZI-205.45	Ø 2.5 mm X 20 cm
ZI-205.46	Ø 3.0 mm X 15 cm
ZI-205.47	Ø 3.0 mm X 20 cm
ZI-205.48	Ø 3.0 mm X 25 cm

Power Cannula

ZI-206.91	Ø 2 mm X 15 cm
ZI-206.92	Ø 2 mm X 20 cm
ZI-206.93	Ø 2 mm X 25 cm
ZI-206.94	Ø 2 mm X 30 cm
ZI-206.95	Ø 2 mm X 35 cm
ZI-206.96	Ø 3 mm X 15 cm
ZI-206.97	Ø 3 mm X 20 cm
ZI-206.98	Ø 3 mm X 25 cm
ZI-206.99	Ø 3 mm X 30 cm
ZI-206.100	Ø 3 mm X 35 cm
ZI-206.101	Ø 4 mm X 15 cm
ZI-206.102	Ø 4 mm X 20 cm
ZI-206.103	Ø 4 mm X 25 cm
ZI-206.104	Ø 4 mm X 30 cm
ZI-206.105	Ø 4 mm X 35 cm
ZI-206.106	Ø 5 mm X 15 cm
ZI-206.107	Ø 5 mm X 20 cm
ZI-206.108	Ø 5 mm X 25 cm
ZI-206.109	Ø 5 mm X 30 cm
ZI-206.110	Ø 5 mm X 35 cm
ZI-206.111	Ø 6 mm X 15 cm
ZI-206.112	Ø 6 mm X 20 cm
ZI-206.113	Ø 6 mm X 25 cm
ZI-206.114	Ø 6 mm X 30 cm
ZI-206.115	Ø 6 mm X 35 cm

General Suction Cannulas



Mercedes

This circumferential three port configuration cell friendly liposuction cannula is effective for multi-plane soft tissue harvesting.

60ccTommeyhub

ZI-201.51	Ø 2.5 mm X 15 cm
ZI-201.52	Ø 2.5 mm X 20 cm
ZI-201.53	Ø 3.0 mm X 15 cm
ZI-201.54	Ø 3.0 mm X 20 cm
ZI-201.55	Ø 3.0 mm X 25 cm
ZI-201.56	Ø 4.0 mm X 25 cm
ZI-201.57	Ø 4.0 mm X 30 cm
ZI-201.58	Ø 4.0 mm X 35 cm
ZI-201.59	Ø 4.5 mm X 30 cm
ZI-201.60	Ø 4.5 mm X 35 cm

Treaded Hub

ZI-202.51	Ø 3.0 mm X 15 cm
ZI-202.52	Ø 3.0 mm X 25 cm
ZI-202.53	Ø 4.0 mm X 15 cm
ZI-202.54	Ø 4.0 mm X 25 cm

Ultra Luer lock

ZI-203.51	Ø 1.5 mm X 12 cm
ZI-203.52	Ø 2.0 mm X 15 cm
ZI-203.53	Ø 2.5 mm X 15 cm
ZI-203.54	Ø 2.5 mm X 20 cm
ZI-203.55	Ø 3.0 mm X 15 cm
ZI-203.56	Ø 3.0 mm X 20 cm
ZI-203.57	Ø 3.0 mm X 25 cm

Luer lock

ZI-204.61	Ø 1.5 mm X 12 cm
ZI-204.62	Ø 2.0 mm X 15 cm
ZI-204.63	Ø 2.5 mm X 15 cm
ZI-204.64	Ø 2.5 mm X 20 cm
ZI-204.65	Ø 3.0 mm X 15 cm
ZI-204.66	Ø 3.0 mm X 20 cm
ZI-204.67	Ø 3.0 mm X 25 cm


Luer lock (Stainless Steel)

ZI-205.61	Ø 1.5 mm X 12 cm
ZI-205.62	Ø 2.0 mm X 15 cm
ZI-205.63	Ø 2.0 mm X 20 cm
ZI-205.64	Ø 2.5 mm X 15 cm
ZI-205.65	Ø 2.5 mm X 20 cm
ZI-205.66	Ø 3.0 mm X 15 cm
ZI-205.67	Ø 3.0 mm X 20 cm
ZI-205.68	Ø 3.0 mm X 25 cm

Power Cannula

ZI-206.151	Ø 2 mm X 15 cm
ZI-206.152	Ø 2 mm X 20 cm
ZI-206.153	Ø 2 mm X 25 cm
ZI-206.154	Ø 2 mm X 30 cm
ZI-206.155	Ø 2 mm X 35 cm
ZI-206.156	Ø 3 mm X 15 cm
ZI-206.157	Ø 3 mm X 20 cm
ZI-206.158	Ø 3 mm X 25 cm
ZI-206.159	Ø 3 mm X 30 cm
ZI-206.160	Ø 3 mm X 35 cm
ZI-206.161	Ø 4 mm X 15 cm
ZI-206.162	Ø 4 mm X 20 cm
ZI-206.163	Ø 4 mm X 25 cm
ZI-206.164	Ø 4 mm X 30 cm
ZI-206.165	Ø 4 mm X 35 cm
ZI-206.166	Ø 5 mm X 15 cm
ZI-206.167	Ø 5 mm X 20 cm
ZI-206.168	Ø 5 mm X 25 cm
ZI-206.169	Ø 5 mm X 30 cm
ZI-206.170	Ø 5 mm X 35 cm
ZI-206.171	Ø 6 mm X 15 cm
ZI-206.172	Ø 6 mm X 20 cm
ZI-206.173	Ø 6 mm X 25 cm
ZI-206.174	Ø 6 mm X 30 cm
ZI-206.175	Ø 6 mm X 35 cm

General Suction Cannulas



Pyramid Holes Cannula

This commonly used design has three ports located 180 degrees from the thumb print. It is a slightly more aggressive cannula than the Standard during liposuction procedures.

60ccTommeyhub

ZI-201.41	Ø 2.5 mm X 15 cm
ZI-201.42	Ø 2.5 mm X 20 cm
ZI-201.43	Ø 3.0 mm X 15 cm
ZI-201.44	Ø 3.0 mm X 20 cm
ZI-201.45	Ø 3.0 mm X 25 cm
ZI-201.46	Ø 4.0 mm X 25 cm
ZI-201.47	Ø 4.0 mm X 30 cm
ZI-201.48	Ø 4.0 mm X 35 cm
ZI-201.49	Ø 4.5 mm X 30 cm
ZI-201.50	Ø 4.5 mm X 35 cm

Treaded Hub

ZI-202.41	Ø 3.0 mm X 15 cm
ZI-202.42	Ø 3.0 mm X 25 cm
ZI-202.43	Ø 4.0 mm X 15 cm
ZI-202.44	Ø 4.0 mm X 25 cm

Ultra Luer lock

ZI-203.41	Ø 1.5 mm X 12 cm
ZI-203.42	Ø 2.0 mm X 15 cm
ZI-203.43	Ø 2.5 mm X 15 cm
ZI-203.44	Ø 2.5 mm X 20 cm
ZI-203.45	Ø 3.0 mm X 15 cm
ZI-203.46	Ø 3.0 mm X 20 cm
ZI-203.47	Ø 3.0 mm X 25 cm

Luer lock

ZI-204.51	Ø 1.5 mm X 12 cm
ZI-204.52	Ø 2.0 mm X 15 cm
ZI-204.53	Ø 2.5 mm X 15 cm
ZI-204.54	Ø 2.5 mm X 20 cm
ZI-204.55	Ø 3.0 mm X 15 cm
ZI-204.56	Ø 3.0 mm X 20 cm
ZI-204.57	Ø 3.0 mm X 25 cm


Luer lock (Stainless Steel)

ZI-205.51	Ø 1.5 mm X 12 cm
ZI-205.52	Ø 2.0 mm X 15 cm
ZI-205.53	Ø 2.0 mm X 20 cm
ZI-205.54	Ø 2.5 mm X 15 cm
ZI-205.55	Ø 2.5 mm X 20 cm
ZI-205.56	Ø 3.0 mm X 15 cm
ZI-205.57	Ø 3.0 mm X 20 cm
ZI-205.58	Ø 3.0 mm X 25 cm

Power Cannula

ZI-206.121	Ø 2 mm X 15 cm
ZI-206.122	Ø 2 mm X 20 cm
ZI-206.123	Ø 2 mm X 25 cm
ZI-206.124	Ø 2 mm X 30 cm
ZI-206.125	Ø 2 mm X 35 cm
ZI-206.126	Ø 3 mm X 15 cm
ZI-206.127	Ø 3 mm X 20 cm
ZI-206.128	Ø 3 mm X 25 cm
ZI-206.129	Ø 3 mm X 30 cm
ZI-206.130	Ø 3 mm X 35 cm
ZI-206.131	Ø 4 mm X 15 cm
ZI-206.132	Ø 4 mm X 20 cm
ZI-206.133	Ø 4 mm X 25 cm
ZI-206.134	Ø 4 mm X 30 cm
ZI-206.135	Ø 4 mm X 35 cm
ZI-206.136	Ø 5 mm X 15 cm
ZI-206.137	Ø 5 mm X 20 cm
ZI-206.138	Ø 5 mm X 25 cm
ZI-206.139	Ø 5 mm X 30 cm
ZI-206.140	Ø 5 mm X 35 cm
ZI-206.141	Ø 6 mm X 15 cm
ZI-206.142	Ø 6 mm X 20 cm
ZI-206.143	Ø 6 mm X 25 cm
ZI-206.144	Ø 6 mm X 30 cm
ZI-206.145	Ø 6 mm X 35 cm

General Suction *Cannulas*



3 Spiral Port Cannula (Carraway Style)

Spiral three port design on this Cell Friendly liposuction cannula is effective for multi-plane adipose tissue harvesting.

60ccTommyhub

ZI-201.61	Ø 2.5 mm X 15 cm
ZI-201.62	Ø 2.5 mm X 20 cm
ZI-201.63	Ø 3.0 mm X 15 cm
ZI-201.64	Ø 3.0 mm X 20 cm
ZI-201.65	Ø 3.0 mm X 25 cm
ZI-201.66	Ø 4.0 mm X 25 cm
ZI-201.67	Ø 4.0 mm X 30 cm
ZI-201.68	Ø 4.0 mm X 35 cm
ZI-201.69	Ø 4.5 mm X 30 cm
ZI-201.70	Ø 4.5 mm X 35 cm

Treaded Hub

ZI-202.61	Ø 3.0 mm X 15 cm
ZI-202.62	Ø 3.0 mm X 25 cm
ZI-202.63	Ø 4.0 mm X 15 cm
ZI-202.64	Ø 4.0 mm X 25 cm

Ultra Luer lock

ZI-203.61	Ø 1.5 mm X 12 cm
ZI-203.62	Ø 2.0 mm X 15 cm
ZI-203.63	Ø 2.5 mm X 15 cm
ZI-203.64	Ø 2.5 mm X 20 cm
ZI-203.65	Ø 3.0 mm X 15 cm
ZI-203.66	Ø 3.0 mm X 20 cm
ZI-203.67	Ø 3.0 mm X 25 cm

Luer lock

ZI-204.71	Ø 1.5 mm X 12 cm
ZI-204.72	Ø 2.0 mm X 15 cm
ZI-204.73	Ø 2.5 mm X 15 cm
ZI-204.74	Ø 2.5 mm X 20 cm
ZI-204.75	Ø 3.0 mm X 15 cm
ZI-204.76	Ø 3.0 mm X 20 cm
ZI-204.77	Ø 3.0 mm X 25 cm


Luer lock (Stainless Steel)

ZI-205.71	Ø 1.5 mm X 12 cm
ZI-205.72	Ø 2.0 mm X 15 cm
ZI-205.73	Ø 2.0 mm X 20 cm
ZI-205.74	Ø 2.5 mm X 15 cm
ZI-205.75	Ø 2.5 mm X 20 cm
ZI-205.76	Ø 3.0 mm X 15 cm
ZI-205.77	Ø 3.0 mm X 20 cm
ZI-205.78	Ø 3.0 mm X 25 cm

Power Cannula

ZI-206.181	Ø 2 mm X 15 cm
ZI-206.182	Ø 2 mm X 20 cm
ZI-206.183	Ø 2 mm X 25 cm
ZI-206.184	Ø 2 mm X 30 cm
ZI-206.185	Ø 2 mm X 35 cm
ZI-206.186	Ø 3 mm X 15 cm
ZI-206.187	Ø 3 mm X 20 cm
ZI-206.188	Ø 3 mm X 25 cm
ZI-206.189	Ø 3 mm X 30 cm
ZI-206.190	Ø 3 mm X 35 cm
ZI-206.191	Ø 4 mm X 15 cm
ZI-206.192	Ø 4 mm X 20 cm
ZI-206.193	Ø 4 mm X 25 cm
ZI-206.194	Ø 4 mm X 30 cm
ZI-206.195	Ø 4 mm X 35 cm
ZI-206.196	Ø 5 mm X 15 cm
ZI-206.197	Ø 5 mm X 20 cm
ZI-206.198	Ø 5 mm X 25 cm
ZI-206.199	Ø 5 mm X 30 cm
ZI-206.200	Ø 5 mm X 35 cm
ZI-206.201	Ø 6 mm X 15 cm
ZI-206.202	Ø 6 mm X 20 cm
ZI-206.203	Ø 6 mm X 25 cm
ZI-206.204	Ø 6 mm X 30 cm
ZI-206.205	Ø 6 mm X 35 cm

General Suction *Cannulas*



Six Spiral Port (Adjust below 3 Spiral Ports)

Six port spiral configuration on this Cell Friendly liposuction cannula harvests maximum tissue volume in minimal time.

60ccsmarthub

ZI-201.91	Ø 2.5 mm X 15 cm
ZI-201.92	Ø 2.5 mm X 20 cm
ZI-201.93	Ø 3.0 mm X 15 cm
ZI-201.94	Ø 3.0 mm X 25 cm
ZI-201.95	Ø 4.0 mm X 25 cm

Treaded Hub

ZI-202.81	Ø 3.0 mm X 15 cm
ZI-202.82	Ø 3.0 mm X 25 cm
ZI-202.83	Ø 4.0 mm X 15 cm
ZI-202.84	Ø 4.0 mm X 25 cm

Ultra Luer lock

ZI-203.81	Ø 2.5 mm X 15 cm
ZI-203.82	Ø 3.0 mm X 15 cm
ZI-203.83	Ø 3.0 mm X 25 cm
ZI-203.84	Ø 4.0 mm X 15 cm
ZI-203.85	Ø 4.0 mm X 25 cm

Luer lock

ZI-204.91	Ø 2.5 mm X 15 cm
ZI-204.92	Ø 3.0 mm X 15 cm
ZI-204.93	Ø 3.0 mm X 25 cm
ZI-204.94	Ø 4.0 mm X 15 cm
ZI-204.95	Ø 4.0 mm X 25 cm


Luer lock (Stainless Steel)

ZI-205.231	Ø 2.5 mm X 15 cm
ZI-205.232	Ø 3.0 mm X 15 cm
ZI-205.233	Ø 3.0 mm X 25 cm
ZI-205.234	Ø 4.0 mm X 15 cm
ZI-205.235	Ø 4.0 mm X 25 cm

Power Cannula

ZI-206.901	2mm OD X 15 cm
ZI-206.902	2mm OD X 20 cm
ZI-206.903	2mm OD X 25 cm
ZI-206.904	2mm OD X 30 cm
ZI-206.905	2mm OD X 35 cm
ZI-206.906	3mm OD X 15 cm
ZI-206.907	3mm OD X 20 cm
ZI-206.908	3mm OD X 25 cm
ZI-206.909	3mm OD X 30 cm
ZI-206.910	3mm OD X 35 cm
ZI-206.911	4mm OD X 15 cm
ZI-206.912	4mm OD X 20 cm
ZI-206.913	4mm OD X 25 cm
ZI-206.914	4mm OD X 30 cm
ZI-206.915	4mm OD X 35 cm
ZI-206.916	5mm OD X 15 cm
ZI-206.917	5mm OD X 20 cm
ZI-206.918	5mm OD X 25 cm
ZI-206.919	5mm OD X 30 cm
ZI-206.920	5mm OD X 35 cm
ZI-206.921	6mm OD X 15 cm
ZI-206.922	6mm OD X 20 cm
ZI-206.923	6mm OD X 25 cm
ZI-206.924	6mm OD X 30 cm
ZI-206.925	6mm OD X 35 cm

General Suction *Cannulas*



Three Port Cannula

This body sculpting instrument is excellent for harvesting small aliquots of tissue during liposuction procedures.

60ccTommeyhub

ZI-201.71	Ø 2.5 mm X 15 cm
ZI-201.72	Ø 2.5 mm X 20 cm
ZI-201.73	Ø 3.0 mm X 15 cm
ZI-201.74	Ø 3.0 mm X 20 cm
ZI-201.75	Ø 3.0 mm X 25 cm
ZI-201.76	Ø 4.0 mm X 25 cm
ZI-201.77	Ø 4.0 mm X 30 cm
ZI-201.78	Ø 4.0 mm X 35 cm
ZI-201.79	Ø 4.5 mm X 30 cm
ZI-201.80	Ø 4.5 mm X 35 cm

Treaded Hub

ZI-202.71	Ø 3.0 mm X 15 cm
ZI-202.72	Ø 3.0 mm X 25 cm
ZI-202.73	Ø 4.0 mm X 15 cm
ZI-202.74	Ø 4.0 mm X 25 cm

Ultra Luer lock

ZI-203.71	Ø 1.5 mm X 12 cm
ZI-203.72	Ø 2.0 mm X 15 cm
ZI-203.73	Ø 2.5 mm X 15 cm
ZI-203.74	Ø 2.5 mm X 20 cm
ZI-203.75	Ø 3.0 mm X 15 cm
ZI-203.76	Ø 3.0 mm X 20 cm
ZI-203.77	Ø 3.0 mm X 25 cm

Luer lock

ZI-204.81	Ø 1.5 mm X 12 cm
ZI-204.82	Ø 2.0 mm X 15 cm
ZI-204.83	Ø 2.5 mm X 15 cm
ZI-204.84	Ø 2.5 mm X 20 cm
ZI-204.85	Ø 3.0 mm X 15 cm
ZI-204.86	Ø 3.0 mm X 20 cm
ZI-204.87	Ø 3.0 mm X 25 cm


Luer lock (Stainless Steel)

ZI-205.81	Ø 1.5 mm X 12 cm
ZI-205.82	Ø 2.0 mm X 15 cm
ZI-205.83	Ø 2.0 mm X 20 cm
ZI-205.84	Ø 2.5 mm X 15 cm
ZI-205.85	Ø 2.5 mm X 20 cm
ZI-205.86	Ø 3.0 mm X 15 cm
ZI-205.87	Ø 3.0 mm X 20 cm
ZI-205.88	Ø 3.0 mm X 25 cm

Power Cannula

ZI-206.211	Ø 2 mm X 15 cm
ZI-206.212	Ø 2 mm X 20 cm
ZI-206.213	Ø 2 mm X 25 cm
ZI-206.214	Ø 2 mm X 30 cm
ZI-206.215	Ø 2 mm X 35 cm
ZI-206.216	Ø 3 mm X 15 cm
ZI-206.217	Ø 3 mm X 20 cm
ZI-206.218	Ø 3 mm X 25 cm
ZI-206.219	Ø 3 mm X 30 cm
ZI-206.220	Ø 3 mm X 35 cm
ZI-206.221	Ø 4 mm X 15 cm
ZI-206.222	Ø 4 mm X 20 cm
ZI-206.223	Ø 4 mm X 25 cm
ZI-206.224	Ø 4 mm X 30 cm
ZI-206.225	Ø 4 mm X 35 cm
ZI-206.226	Ø 5 mm X 15 cm
ZI-206.227	Ø 5 mm X 20 cm
ZI-206.228	Ø 5 mm X 25 cm
ZI-206.229	Ø 5 mm X 30 cm
ZI-206.230	Ø 5 mm X 35 cm
ZI-206.231	Ø 6 mm X 15 cm
ZI-206.232	Ø 6 mm X 20 cm
ZI-206.233	Ø 6 mm X 25 cm
ZI-206.234	Ø 6 mm X 30 cm
ZI-206.235	Ø 6 mm X 35 cm

General Suction *Cannulas*



Basket Shaped Cannula

The Cell Friendly Basket Cannula is a versatile liposculpting tool. It can operate as an equalizer without vacuum to treat adipose tissue and skin irregularities in revision liposuction and fat transfer procedures. The Basket Cannula is also adept under vacuum as a fat harvesting cannula. For finishing, this cannula can be used as an injector for equalizing and adding adipose tissue to sculpt smoother contours.

60ccTommeyhub

ZI-201.81	Ø 3.0 mm X 15 cm
ZI-201.82	Ø 3.0 mm X 20 cm
ZI-201.83	Ø 3.0 mm X 25 cm
ZI-201.84	Ø 4.0 mm X 25 cm
ZI-201.85	Ø 4.0 mm X 30 cm
ZI-201.86	Ø 4.0 mm X 35 cm
ZI-201.87	Ø 5.0 mm X 25 cm
ZI-201.88	Ø 5.0 mm X 30 cm
ZI-201.89	Ø 5.0 mm X 35 cm
ZI-201.90	Ø 6.0 mm X 25 cm
ZI-201.91	Ø 6.0 mm X 30 cm
ZI-201.92	Ø 6.0 mm X 35 cm

Hole on Tip-Style I

Power Cannula

ZI-206.251	Ø 2 mm X 15 cm
ZI-206.252	Ø 2 mm X 20 cm
ZI-206.253	Ø 2 mm X 25 cm
ZI-206.254	Ø 2 mm X 30 cm
ZI-206.255	Ø 2 mm X 35 cm
ZI-206.256	Ø 3 mm X 15 cm
ZI-206.257	Ø 3 mm X 20 cm
ZI-206.258	Ø 3 mm X 25 cm
ZI-206.259	Ø 3 mm X 30 cm

ZI-206.260	Ø 3 mm X 35 cm
ZI-206.261	Ø 4 mm X 15 cm
ZI-206.262	Ø 4 mm X 20 cm
ZI-206.263	Ø 4 mm X 25 cm
ZI-206.264	Ø 4 mm X 30 cm
ZI-206.265	Ø 4 mm X 35 cm
ZI-206.266	Ø 5 mm X 15 cm
ZI-206.267	Ø 5 mm X 20 cm

ZI-206.268	Ø 5 mm X 25 cm
ZI-206.269	Ø 5 mm X 30 cm
ZI-206.270	Ø 5 mm X 35 cm
ZI-206.271	Ø 6 mm X 15 cm
ZI-206.272	Ø 6 mm X 20 cm
ZI-206.273	Ø 6 mm X 25 cm
ZI-206.274	Ø 6 mm X 30 cm
ZI-206.275	Ø 6 mm X 35 cm

Holeontip-StyleII


Power Cannula

ZI-206.281	Ø 2 mm X 15 cm
ZI-206.282	Ø 2 mm X 20 cm
ZI-206.283	Ø 2 mm X 25 cm
ZI-206.284	Ø 2 mm X 30 cm
ZI-206.285	Ø 2 mm X 35 cm
ZI-206.286	Ø 3 mm X 15 cm
ZI-206.287	Ø 3 mm X 20 cm
ZI-206.288	Ø 3 mm X 25 cm
ZI-206.289	Ø 3 mm X 30 cm

ZI-206.290	Ø 3 mm X 35 cm
ZI-206.291	Ø 4 mm X 15 cm
ZI-206.292	Ø 4 mm X 20 cm
ZI-206.293	Ø 4 mm X 25 cm
ZI-206.294	Ø 4 mm X 30 cm
ZI-206.295	Ø 4 mm X 35 cm
ZI-206.296	Ø 5 mm X 15 cm
ZI-206.297	Ø 5 mm X 20 cm

ZI-206.298	Ø 5 mm X 25 cm
ZI-206.299	Ø 5 mm X 30 cm
ZI-206.300	Ø 5 mm X 35 cm
ZI-206.301	Ø 6 mm X 15 cm
ZI-206.302	Ø 6 mm X 20 cm
ZI-206.303	Ø 6 mm X 25 cm
ZI-206.304	Ø 6 mm X 30 cm
ZI-206.305	Ø 6 mm X 35 cm

General Suction Cannulas



Deep Sharp Cut Dissector

Power Cannula

ZI-206.311	Ø 2 mm X 15 cm	ZI-206.320	Ø 3 mm X 35 cm	ZI-206.328	Ø 5 mm X 25 cm
ZI-206.312	Ø 2 mm X 20 cm	ZI-206.321	Ø 4 mm X 15 cm	ZI-206.329	Ø 5 mm X 30 cm
ZI-206.313	Ø 2 mm X 25 cm	ZI-206.322	Ø 4 mm X 20 cm	ZI-206.330	Ø 5 mm X 35 cm
ZI-206.314	Ø 2 mm X 30 cm	ZI-206.323	Ø 4 mm X 25 cm	ZI-206.331	Ø 6 mm X 15 cm
ZI-206.315	Ø 2 mm X 35 cm	ZI-206.324	Ø 4 mm X 30 cm	ZI-206.332	Ø 6 mm X 20 cm
ZI-206.316	Ø 3 mm X 15 cm	ZI-206.325	Ø 4 mm X 35 cm	ZI-206.333	Ø 6 mm X 25 cm
ZI-206.317	Ø 3 mm X 20 cm	ZI-206.326	Ø 5 mm X 15 cm	ZI-206.334	Ø 6 mm X 30 cm
ZI-206.318	Ø 3 mm X 25 cm	ZI-206.327	Ø 5 mm X 20 cm	ZI-206.335	Ø 6 mm X 35 cm
ZI-206.319	Ø 3 mm X 30 cm				



Bi-Port Cannula


Luer lock (Stainless Steel)

	10cm	15cm	20cm	25cm
2.0 Ø	ZI-205.91	ZI-205.101	ZI-205.111	ZI-205.121
2.5 Ø	ZI-205.92	ZI-205.102	ZI-205.112	ZI-205.122
3.0 Ø	ZI-205.93	ZI-205.103	ZI-205.113	ZI-205.123
3.5 Ø	ZI-205.94	ZI-205.104	ZI-205.114	ZI-205.124
4.0 Ø	ZI-205.95	ZI-205.105	ZI-205.115	ZI-205.125

Power Cannula

ZI-206.351	Ø 2 mm X 15 cm	ZI-206.360	Ø 3 mm X 35 cm	ZI-206.368	Ø 5 mm X 25 cm
ZI-206.352	Ø 2 mm X 20 cm	ZI-206.361	Ø 4 mm X 15 cm	ZI-206.369	Ø 5 mm X 30 cm
ZI-206.353	Ø 2 mm X 25 cm	ZI-206.362	Ø 4 mm X 20 cm	ZI-206.370	Ø 5 mm X 35 cm
ZI-206.354	Ø 2 mm X 30 cm	ZI-206.363	Ø 4 mm X 25 cm	ZI-206.371	Ø 6 mm X 15 cm
ZI-206.355	Ø 2 mm X 35 cm	ZI-206.364	Ø 4 mm X 30 cm	ZI-206.372	Ø 6 mm X 20 cm
ZI-206.356	Ø 3 mm X 15 cm	ZI-206.365	Ø 4 mm X 35 cm	ZI-206.373	Ø 6 mm X 25 cm
ZI-206.357	Ø 3 mm X 20 cm	ZI-206.366	Ø 5 mm X 15 cm	ZI-206.374	Ø 6 mm X 30 cm
ZI-206.358	Ø 3 mm X 25 cm	ZI-206.367	Ø 5 mm X 20 cm	ZI-206.375	Ø 6 mm X 35 cm
ZI-206.359	Ø 3 mm X 30 cm				

General Suction Cannulas



Tapered Tip Single Central Hole

Power Cannula

ZI-206.391	Ø 2 mm X 15 cm	ZI-206.400	Ø 3 mm X 35 cm	ZI-206.408	Ø 5 mm X 25 cm
ZI-206.392	Ø 2 mm X 20 cm	ZI-206.401	Ø 4 mm X 15 cm	ZI-206.409	Ø 5 mm X 30 cm
ZI-206.393	Ø 2 mm X 25 cm	ZI-206.402	Ø 4 mm X 20 cm	ZI-206.410	Ø 5 mm X 35 cm
ZI-206.394	Ø 2 mm X 30 cm	ZI-206.403	Ø 4 mm X 25 cm	ZI-206.411	Ø 6 mm X 15 cm
ZI-206.395	Ø 2 mm X 35 cm	ZI-206.404	Ø 4 mm X 30 cm	ZI-206.412	Ø 6 mm X 20 cm
ZI-206.396	Ø 3 mm X 15 cm	ZI-206.405	Ø 4 mm X 35 cm	ZI-206.413	Ø 6 mm X 25 cm
ZI-206.397	Ø 3 mm X 20 cm	ZI-206.406	Ø 5 mm X 15 cm	ZI-206.414	Ø 6 mm X 30 cm
ZI-206.398	Ø 3 mm X 25 cm	ZI-206.407	Ø 5 mm X 20 cm	ZI-206.415	Ø 6 mm X 35 cm
ZI-206.399	Ø 3 mm X 30 cm				



Tapered Tip Two Spiral Holes

Power Cannula

ZI-206.431	Ø 2 mm X 15 cm	ZI-206.440	Ø 3 mm X 35 cm	ZI-206.448	Ø 5 mm X 25 cm
ZI-206.432	Ø 2 mm X 20 cm	ZI-206.441	Ø 4 mm X 15 cm	ZI-206.449	Ø 5 mm X 30 cm
ZI-206.433	Ø 2 mm X 25 cm	ZI-206.442	Ø 4 mm X 20 cm	ZI-206.450	Ø 5 mm X 35 cm
ZI-206.434	Ø 2 mm X 30 cm	ZI-206.443	Ø 4 mm X 25 cm	ZI-206.451	Ø 6 mm X 15 cm
ZI-206.435	Ø 2 mm X 35 cm	ZI-206.444	Ø 4 mm X 30 cm	ZI-206.452	Ø 6 mm X 20 cm
ZI-206.436	Ø 3 mm X 15 cm	ZI-206.445	Ø 4 mm X 35 cm	ZI-206.453	Ø 6 mm X 25 cm
ZI-206.437	Ø 3 mm X 20 cm	ZI-206.446	Ø 5 mm X 15 cm	ZI-206.454	Ø 6 mm X 30 cm
ZI-206.438	Ø 3 mm X 25 cm	ZI-206.447	Ø 5 mm X 20 cm	ZI-206.455	Ø 6 mm X 35 cm
ZI-206.439	Ø 3 mm X 30 cm				



Fig. 3F

Power Cannula

ZI-206.471	Ø 2 mm X 15 cm	ZI-206.480	Ø 3 mm X 35 cm	ZI-206.488	Ø 5 mm X 25 cm
ZI-206.472	Ø 2 mm X 20 cm	ZI-206.481	Ø 4 mm X 15 cm	ZI-206.489	Ø 5 mm X 30 cm
ZI-206.473	Ø 2 mm X 25 cm	ZI-206.482	Ø 4 mm X 20 cm	ZI-206.490	Ø 5 mm X 35 cm
ZI-206.474	Ø 2 mm X 30 cm	ZI-206.483	Ø 4 mm X 25 cm	ZI-206.491	Ø 6 mm X 15 cm
ZI-206.475	Ø 2 mm X 35 cm	ZI-206.484	Ø 4 mm X 30 cm	ZI-206.492	Ø 6 mm X 20 cm
ZI-206.476	Ø 3 mm X 15 cm	ZI-206.485	Ø 4 mm X 35 cm	ZI-206.493	Ø 6 mm X 25 cm
ZI-206.477	Ø 3 mm X 20 cm	ZI-206.486	Ø 5 mm X 15 cm	ZI-206.494	Ø 6 mm X 30 cm
ZI-206.478	Ø 3 mm X 25 cm	ZI-206.487	Ø 5 mm X 20 cm	ZI-206.495	Ø 6 mm X 35 cm
ZI-206.479	Ø 3 mm X 30 cm				

General Suction Cannulas




Fig.2Ech

Power Cannula

ZI-206.501	Ø 2 mm X 15 cm	ZI-206.510	Ø 3 mm X 35 cm	ZI-206.518	Ø 5 mm X 25 cm
ZI-206.502	Ø 2 mm X 20 cm	ZI-206.511	Ø 4 mm X 15 cm	ZI-206.519	Ø 5 mm X 30 cm
ZI-206.503	Ø 2 mm X 25 cm	ZI-206.512	Ø 4 mm X 20 cm	ZI-206.520	Ø 5 mm X 35 cm
ZI-206.504	Ø 2 mm X 30 cm	ZI-206.513	Ø 4 mm X 25 cm	ZI-206.521	Ø 6 mm X 15 cm
ZI-206.505	Ø 2 mm X 35 cm	ZI-206.514	Ø 4 mm X 30 cm	ZI-206.522	Ø 6 mm X 20 cm
ZI-206.506	Ø 3 mm X 15 cm	ZI-206.515	Ø 4 mm X 35 cm	ZI-206.523	Ø 6 mm X 25 cm
ZI-206.507	Ø 3 mm X 20 cm	ZI-206.516	Ø 5 mm X 15 cm	ZI-206.524	Ø 6 mm X 30 cm
ZI-206.508	Ø 3 mm X 25 cm	ZI-206.517	Ø 5 mm X 20 cm	ZI-206.525	Ø 6 mm X 35 cm
ZI-206.509	Ø 3 mm X 30 cm				



Two Square-In Line


Luer lock (Stainless Steel)

	7cm	10cm	15cm	20cm	25cm
2.0 Ø	ZI-205.131	ZI-205.141	ZI-205.151	ZI-205.161	ZI-205.171
2.5 Ø	ZI-205.132	ZI-205.142	ZI-205.152	ZI-205.162	ZI-205.172
3.0 Ø	ZI-205.133	ZI-205.143	ZI-205.153	ZI-205.163	ZI-205.173
3.5 Ø	ZI-205.134	ZI-205.144	ZI-205.154	ZI-205.164	ZI-205.174
4.0 Ø	ZI-205.135	ZI-205.145	ZI-205.155	ZI-205.165	ZI-205.175

Power Cannula

ZI-206.551	Ø 2 mm X 15 cm	ZI-206.560	Ø 3 mm X 35 cm	ZI-206.568	Ø 5 mm X 25 cm
ZI-206.552	Ø 2 mm X 20 cm	ZI-206.561	Ø 4 mm X 15 cm	ZI-206.569	Ø 5 mm X 30 cm
ZI-206.553	Ø 2 mm X 25 cm	ZI-206.562	Ø 4 mm X 20 cm	ZI-206.570	Ø 5 mm X 35 cm
ZI-206.554	Ø 2 mm X 30 cm	ZI-206.563	Ø 4 mm X 25 cm	ZI-206.571	Ø 6 mm X 15 cm
ZI-206.555	Ø 2 mm X 35 cm	ZI-206.564	Ø 4 mm X 30 cm	ZI-206.572	Ø 6 mm X 20 cm
ZI-206.556	Ø 3 mm X 15 cm	ZI-206.565	Ø 4 mm X 35 cm	ZI-206.573	Ø 6 mm X 25 cm
ZI-206.557	Ø 3 mm X 20 cm	ZI-206.566	Ø 5 mm X 15 cm	ZI-206.574	Ø 6 mm X 30 cm
ZI-206.558	Ø 3 mm X 25 cm	ZI-206.567	Ø 5 mm X 20 cm	ZI-206.575	Ø 6 mm X 35 cm
ZI-206.559	Ø 3 mm X 30 cm				

General Suction Cannulas



One Central Port-Two Parallel Ports

Power Cannula

ZI-206.591	Ø 2 mm X 15 cm	ZI-206.600	Ø 3 mm X 35 cm	ZI-206.608	Ø 5 mm X 25 cm
ZI-206.592	Ø 2 mm X 20 cm	ZI-206.601	Ø 4 mm X 15 cm	ZI-206.609	Ø 5 mm X 30 cm
ZI-206.593	Ø 2 mm X 25 cm	ZI-206.602	Ø 4 mm X 20 cm	ZI-206.610	Ø 5 mm X 35 cm
ZI-206.594	Ø 2 mm X 30 cm	ZI-206.603	Ø 4 mm X 25 cm	ZI-206.611	Ø 6 mm X 15 cm
ZI-206.595	Ø 2 mm X 35 cm	ZI-206.604	Ø 4 mm X 30 cm	ZI-206.612	Ø 6 mm X 20 cm
ZI-206.596	Ø 3 mm X 15 cm	ZI-206.605	Ø 4 mm X 35 cm	ZI-206.613	Ø 6 mm X 25 cm
ZI-206.597	Ø 3 mm X 20 cm	ZI-206.606	Ø 5 mm X 15 cm	ZI-206.614	Ø 6 mm X 30 cm
ZI-206.598	Ø 3 mm X 25 cm	ZI-206.607	Ø 5 mm X 20 cm	ZI-206.615	Ø 6 mm X 35 cm
ZI-206.599	Ø 3 mm X 30 cm				



Two Parallel Port- One Central Port

Power Cannula

ZI-206.651	Ø 2 mm X 15 cm	ZI-206.660	Ø 3 mm X 35 cm	ZI-206.668	Ø 5 mm X 25 cm
ZI-206.652	Ø 2 mm X 20 cm	ZI-206.661	Ø 4 mm X 15 cm	ZI-206.669	Ø 5 mm X 30 cm
ZI-206.653	Ø 2 mm X 25 cm	ZI-206.662	Ø 4 mm X 20 cm	ZI-206.670	Ø 5 mm X 35 cm
ZI-206.654	Ø 2 mm X 30 cm	ZI-206.663	Ø 4 mm X 25 cm	ZI-206.671	Ø 6 mm X 15 cm
ZI-206.655	Ø 2 mm X 35 cm	ZI-206.664	Ø 4 mm X 30 cm	ZI-206.672	Ø 6 mm X 20 cm
ZI-206.656	Ø 3 mm X 15 cm	ZI-206.665	Ø 4 mm X 35 cm	ZI-206.673	Ø 6 mm X 25 cm
ZI-206.657	Ø 3 mm X 20 cm	ZI-206.666	Ø 5 mm X 15 cm	ZI-206.674	Ø 6 mm X 30 cm
ZI-206.658	Ø 3 mm X 25 cm	ZI-206.667	Ø 5 mm X 20 cm	ZI-206.675	Ø 6 mm X 35 cm
ZI-206.659	Ø 3 mm X 30 cm				

General Suction Cannulas




Fig. 3Me

Luer lock (Stainless Steel)

	7cm	10cm	15cm	20cm	25cm
2.0 Ø	ZI-205.181	ZI-205.191	ZI-205.201	ZI-205.211	ZI-205.221
2.5 Ø	ZI-205.182	ZI-205.192	ZI-205.202	ZI-205.212	ZI-205.222
3.0 Ø	ZI-205.183	ZI-205.193	ZI-205.203	ZI-205.213	ZI-205.223
3.5 Ø	ZI-205.184	ZI-205.194	ZI-205.204	ZI-205.214	ZI-205.224
4.0 Ø	ZI-205.185	ZI-205.195	ZI-205.205	ZI-205.215	ZI-205.225

Power Cannula

ZI-206.681	Ø 2 mm X 15 cm	ZI-206.690	Ø 3 mm X 35 cm	ZI-206.698	Ø 5 mm X 25 cm
ZI-206.682	Ø 2 mm X 20 cm	ZI-206.691	Ø 4 mm X 15 cm	ZI-206.699	Ø 5 mm X 30 cm
ZI-206.683	Ø 2 mm X 25 cm	ZI-206.692	Ø 4 mm X 20 cm	ZI-206.700	Ø 5 mm X 35 cm
ZI-206.684	Ø 2 mm X 30 cm	ZI-206.693	Ø 4 mm X 25 cm	ZI-206.701	Ø 6 mm X 15 cm
ZI-206.685	Ø 2 mm X 35 cm	ZI-206.694	Ø 4 mm X 30 cm	ZI-206.702	Ø 6 mm X 20 cm
ZI-206.686	Ø 3 mm X 15 cm	ZI-206.695	Ø 4 mm X 35 cm	ZI-206.703	Ø 6 mm X 25 cm
ZI-206.687	Ø 3 mm X 20 cm	ZI-206.696	Ø 5 mm X 15 cm	ZI-206.704	Ø 6 mm X 30 cm
ZI-206.688	Ø 3 mm X 25 cm	ZI-206.697	Ø 5 mm X 20 cm	ZI-206.705	Ø 6 mm X 35 cm
ZI-206.689	Ø 3 mm X 30 cm				

Fig. 3Hr

Power Cannula

ZI-206.721	Ø 2 mm X 15 cm	ZI-206.730	Ø 3 mm X 35 cm	ZI-206.738	Ø 5 mm X 25 cm
ZI-206.722	Ø 2 mm X 20 cm	ZI-206.731	Ø 4 mm X 15 cm	ZI-206.739	Ø 5 mm X 30 cm
ZI-206.723	Ø 2 mm X 25 cm	ZI-206.732	Ø 4 mm X 20 cm	ZI-206.740	Ø 5 mm X 35 cm
ZI-206.724	Ø 2 mm X 30 cm	ZI-206.733	Ø 4 mm X 25 cm	ZI-206.741	Ø 6 mm X 15 cm
ZI-206.725	Ø 2 mm X 35 cm	ZI-206.734	Ø 4 mm X 30 cm	ZI-206.742	Ø 6 mm X 20 cm
ZI-206.726	Ø 3 mm X 15 cm	ZI-206.735	Ø 4 mm X 35 cm	ZI-206.743	Ø 6 mm X 25 cm
ZI-206.727	Ø 3 mm X 20 cm	ZI-206.736	Ø 5 mm X 15 cm	ZI-206.744	Ø 6 mm X 30 cm
ZI-206.728	Ø 3 mm X 25 cm	ZI-206.737	Ø 5 mm X 20 cm	ZI-206.745	Ø 6 mm X 35 cm
ZI-206.729	Ø 3 mm X 30 cm				

Fig. Riz

Power Cannula

ZI-206.751	Ø 2 mm X 15 cm	ZI-206.760	Ø 3 mm X 35 cm	ZI-206.768	Ø 5 mm X 25 cm
ZI-206.752	Ø 2 mm X 20 cm	ZI-206.761	Ø 4 mm X 15 cm	ZI-206.769	Ø 5 mm X 30 cm
ZI-206.753	Ø 2 mm X 25 cm	ZI-206.762	Ø 4 mm X 20 cm	ZI-206.770	Ø 5 mm X 35 cm
ZI-206.754	Ø 2 mm X 30 cm	ZI-206.763	Ø 4 mm X 25 cm	ZI-206.771	Ø 6 mm X 15 cm
ZI-206.755	Ø 2 mm X 35 cm	ZI-206.764	Ø 4 mm X 30 cm	ZI-206.772	Ø 6 mm X 20 cm
ZI-206.756	Ø 3 mm X 15 cm	ZI-206.765	Ø 4 mm X 35 cm	ZI-206.773	Ø 6 mm X 25 cm
ZI-206.757	Ø 3 mm X 20 cm	ZI-206.766	Ø 5 mm X 15 cm	ZI-206.774	Ø 6 mm X 30 cm
ZI-206.758	Ø 3 mm X 25 cm	ZI-206.767	Ø 5 mm X 20 cm	ZI-206.775	Ø 6 mm X 35 cm
ZI-206.759	Ø 3 mm X 30 cm				

General Suction Cannulas




Fig. 5Ai

Power Cannula

ZI-206.721	Ø 2 mm X 15 cm	ZI-206.730	Ø 3 mm X 35 cm	ZI-206.738	Ø 5 mm X 25 cm
ZI-206.722	Ø 2 mm X 20 cm	ZI-206.731	Ø 4 mm X 15 cm	ZI-206.739	Ø 5 mm X 30 cm
ZI-206.723	Ø 2 mm X 25 cm	ZI-206.732	Ø 4 mm X 20 cm	ZI-206.740	Ø 5 mm X 35 cm
ZI-206.724	Ø 2 mm X 30 cm	ZI-206.733	Ø 4 mm X 25 cm	ZI-206.741	Ø 6 mm X 15 cm
ZI-206.725	Ø 2 mm X 35 cm	ZI-206.734	Ø 4 mm X 30 cm	ZI-206.742	Ø 6 mm X 20 cm
ZI-206.726	Ø 3 mm X 15 cm	ZI-206.735	Ø 4 mm X 35 cm	ZI-206.743	Ø 6 mm X 25 cm
ZI-206.727	Ø 3 mm X 20 cm	ZI-206.736	Ø 5 mm X 15 cm	ZI-206.744	Ø 6 mm X 30 cm
ZI-206.728	Ø 3 mm X 25 cm	ZI-206.737	Ø 5 mm X 20 cm	ZI-206.745	Ø 6 mm X 35 cm
ZI-206.729	Ø 3 mm X 30 cm				

Fig. Mr

Power Cannula

ZI-206.751	Ø 2 mm X 15 cm	ZI-206.760	Ø 3 mm X 35 cm	ZI-206.768	Ø 5 mm X 25 cm
ZI-206.752	Ø 2 mm X 20 cm	ZI-206.761	Ø 4 mm X 15 cm	ZI-206.769	Ø 5 mm X 30 cm
ZI-206.753	Ø 2 mm X 25 cm	ZI-206.762	Ø 4 mm X 20 cm	ZI-206.770	Ø 5 mm X 35 cm
ZI-206.754	Ø 2 mm X 30 cm	ZI-206.763	Ø 4 mm X 25 cm	ZI-206.771	Ø 6 mm X 15 cm
ZI-206.755	Ø 2 mm X 35 cm	ZI-206.764	Ø 4 mm X 30 cm	ZI-206.772	Ø 6 mm X 20 cm
ZI-206.756	Ø 3 mm X 15 cm	ZI-206.765	Ø 4 mm X 35 cm	ZI-206.773	Ø 6 mm X 25 cm
ZI-206.757	Ø 3 mm X 20 cm	ZI-206.766	Ø 5 mm X 15 cm	ZI-206.774	Ø 6 mm X 30 cm
ZI-206.758	Ø 3 mm X 25 cm	ZI-206.767	Ø 5 mm X 20 cm	ZI-206.775	Ø 6 mm X 35 cm
ZI-206.759	Ø 3 mm X 30 cm				

Fig. P3G

Power Cannula

ZI-206.791	Ø 2 mm X 15 cm	ZI-206.800	Ø 3 mm X 35 cm	ZI-206.808	Ø 5 mm X 25 cm
ZI-206.792	Ø 2 mm X 20 cm	ZI-206.801	Ø 4 mm X 15 cm	ZI-206.809	Ø 5 mm X 30 cm
ZI-206.793	Ø 2 mm X 25 cm	ZI-206.802	Ø 4 mm X 20 cm	ZI-206.810	Ø 5 mm X 35 cm
ZI-206.794	Ø 2 mm X 30 cm	ZI-206.803	Ø 4 mm X 25 cm	ZI-206.811	Ø 6 mm X 15 cm
ZI-206.795	Ø 2 mm X 35 cm	ZI-206.804	Ø 4 mm X 30 cm	ZI-206.812	Ø 6 mm X 20 cm
ZI-206.796	Ø 3 mm X 15 cm	ZI-206.805	Ø 4 mm X 35 cm	ZI-206.813	Ø 6 mm X 25 cm
ZI-206.797	Ø 3 mm X 20 cm	ZI-206.806	Ø 5 mm X 15 cm	ZI-206.814	Ø 6 mm X 30 cm
ZI-206.798	Ø 3 mm X 25 cm	ZI-206.807	Ø 5 mm X 20 cm	ZI-206.815	Ø 6 mm X 35 cm
ZI-206.799	Ø 3 mm X 30 cm				

General Suction *Cannulas*




Fig.Py

Power Cannula

ZI-206.831	Ø 2 mm X 15 cm	ZI-206.840	Ø 3 mm X 35 cm	ZI-206.848	Ø 5 mm X 25 cm
ZI-206.832	Ø 2 mm X 20 cm	ZI-206.841	Ø 4 mm X 15 cm	ZI-206.849	Ø 5 mm X 30 cm
ZI-206.833	Ø 2 mm X 25 cm	ZI-206.842	Ø 4 mm X 20 cm	ZI-206.850	Ø 5 mm X 35 cm
ZI-206.834	Ø 2 mm X 30 cm	ZI-206.843	Ø 4 mm X 25 cm	ZI-206.851	Ø 6 mm X 15 cm
ZI-206.835	Ø 2 mm X 35 cm	ZI-206.844	Ø 4 mm X 30 cm	ZI-206.852	Ø 6 mm X 20 cm
ZI-206.836	Ø 3 mm X 15 cm	ZI-206.845	Ø 4 mm X 35 cm	ZI-206.853	Ø 6 mm X 25 cm
ZI-206.837	Ø 3 mm X 20 cm	ZI-206.846	Ø 5 mm X 15 cm	ZI-206.854	Ø 6 mm X 30 cm
ZI-206.838	Ø 3 mm X 25 cm	ZI-206.847	Ø 5 mm X 20 cm	ZI-206.855	Ø 6 mm X 35 cm
ZI-206.839	Ø 3 mm X 30 cm				



Fig.Le

Power Cannula

ZI-206.861	Ø 2 mm X 15 cm	ZI-206.870	Ø 3 mm X 35 cm	ZI-206.878	Ø 5 mm X 25 cm
ZI-206.862	Ø 2 mm X 20 cm	ZI-206.871	Ø 4 mm X 15 cm	ZI-206.879	Ø 5 mm X 30 cm
ZI-206.863	Ø 2 mm X 25 cm	ZI-206.872	Ø 4 mm X 20 cm	ZI-206.880	Ø 5 mm X 35 cm
ZI-206.864	Ø 2 mm X 30 cm	ZI-206.873	Ø 4 mm X 25 cm	ZI-206.881	Ø 6 mm X 15 cm
ZI-206.865	Ø 2 mm X 35 cm	ZI-206.874	Ø 4 mm X 30 cm	ZI-206.882	Ø 6 mm X 20 cm
ZI-206.866	Ø 3 mm X 15 cm	ZI-206.875	Ø 4 mm X 35 cm	ZI-206.883	Ø 6 mm X 25 cm
ZI-206.867	Ø 3 mm X 20 cm	ZI-206.876	Ø 5 mm X 15 cm	ZI-206.884	Ø 6 mm X 30 cm
ZI-206.868	Ø 3 mm X 25 cm	ZI-206.877	Ø 5 mm X 20 cm	ZI-206.885	Ø 6 mm X 35 cm
ZI-206.869	Ø 3 mm X 30 cm				


HARVESTER Cannulas

Fat Harvesting for Re-grafting is a delicate difficult and time consuming process. But with Dibraj Surgical's Specifically designed Harvesting Cannulas will help you to achieve this goal in super efficient way.

Micro fat Harvesting - No problem with Dibraj Cannulas.



Harvester Cannulas



Multiport Speed Harvester- Both End Sharp

A multiport harvester with elevated 1mm microports which yield small enough aliquots of fat tissue to allow for easy and smooth injection with the Tulip 0.7, 0.9 and 1.2mm injectors.

60ccTommyhub	
ZI-301.01	Ø 2.5 mm X 15 cm
ZI-301.02	Ø 2.5 mm X 20 cm
ZI-301.03	Ø 3.0 mm X 15 cm
ZI-301.04	Ø 3.0 mm X 20 cm
ZI-301.05	Ø 3.0 mm X 25 cm
ZI-301.06	Ø 4.0 mm X 25 cm
ZI-301.07	Ø 4.0 mm X 30 cm
ZI-301.08	Ø 4.0 mm X 35 cm
ZI-301.09	Ø 4.5 mm X 30 cm
ZI-301.10	Ø 4.5 mm X 35 cm

Treaded Hub	
ZI-302.01	Ø 3.0 mm X 15 cm
ZI-302.02	Ø 3.0 mm X 25 cm
ZI-302.03	Ø 4.0 mm X 15 cm
ZI-302.04	Ø 4.0 mm X 25 cm


Ultra Luer lock	
ZI-303.01	Ø 2.0 mm X 15 cm
ZI-303.02	Ø 2.5 mm X 15 cm
ZI-303.03	Ø 2.5 mm X 20 cm
ZI-303.04	Ø 3.0 mm X 15 cm
ZI-303.05	Ø 3.0 mm X 20 cm
ZI-303.06	Ø 3.0 mm X 25 cm

Luer lock	
ZI-304.01	Ø 2.0 mm X 15 cm
ZI-304.02	Ø 2.5 mm X 15 cm
ZI-304.03	Ø 2.5 mm X 20 cm
ZI-304.04	Ø 3.0 mm X 15 cm
ZI-304.05	Ø 3.0 mm X 20 cm
ZI-304.06	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)	
ZI-305.01	Ø 2.0 mm X 15 cm
ZI-305.02	Ø 2.5 mm X 15 cm
ZI-305.03	Ø 2.5 mm X 20 cm
ZI-305.04	Ø 3.0 mm X 15 cm
ZI-305.05	Ø 3.0 mm X 20 cm
ZI-305.06	Ø 3.0 mm X 25 cm

Power Cannula	
ZI-306.01	Ø 2 mm X 15 cm
ZI-306.02	Ø 2 mm X 20 cm
ZI-306.03	Ø 2 mm X 25 cm
ZI-306.04	Ø 2 mm X 30 cm
ZI-306.05	Ø 2 mm X 35 cm
ZI-306.06	Ø 3 mm X 15 cm
ZI-306.07	Ø 3 mm X 20 cm
ZI-306.08	Ø 3 mm X 25 cm
ZI-306.09	Ø 3 mm X 30 cm
ZI-306.10	Ø 3 mm X 35 cm
ZI-306.11	Ø 4 mm X 15 cm
ZI-306.12	Ø 4 mm X 20 cm
ZI-306.13	Ø 4 mm X 25 cm
ZI-306.14	Ø 4 mm X 30 cm
ZI-306.15	Ø 4 mm X 35 cm
ZI-306.16	Ø 5 mm X 15 cm
ZI-306.17	Ø 5 mm X 20 cm
ZI-306.18	Ø 5 mm X 25 cm
ZI-306.19	Ø 5 mm X 30 cm
ZI-306.20	Ø 5 mm X 35 cm
ZI-306.21	Ø 6 mm X 15 cm
ZI-306.22	Ø 6 mm X 20 cm
ZI-306.23	Ø 6 mm X 25 cm
ZI-306.24	Ø 6 mm X 30 cm
ZI-306.25	Ø 6 mm X 35 cm

Harvester Cannulas



Multiport Speed Harvester- One End Sharp

A multiport harvester with elevated 1mm microports which yield small enough aliquots of fat tissue to allow for easy and smooth injection with the Tulip 0.7, 0.9 and 1.2mm injectors.

60ccTommyhub	
ZI-301.11	Ø 2.5 mm X 15 cm
ZI-301.12	Ø 2.5 mm X 20 cm
ZI-301.13	Ø 3.0 mm X 15 cm
ZI-301.14	Ø 3.0 mm X 20 cm
ZI-301.15	Ø 3.0 mm X 25 cm
ZI-301.16	Ø 4.0 mm X 25 cm
ZI-301.17	Ø 4.0 mm X 30 cm
ZI-301.18	Ø 4.0 mm X 35 cm
ZI-301.19	Ø 4.5 mm X 30 cm
ZI-301.20	Ø 4.5 mm X 35 cm

Treaded Hub	
ZI-302.11	Ø 3.0 mm X 15 cm
ZI-302.12	Ø 3.0 mm X 25 cm
ZI-302.13	Ø 4.0 mm X 15 cm
ZI-302.14	Ø 4.0 mm X 25 cm


Ultra Luer lock	
ZI-303.11	Ø 2.0 mm X 15 cm
ZI-303.12	Ø 2.5 mm X 15 cm
ZI-303.13	Ø 2.5 mm X 20 cm
ZI-303.14	Ø 3.0 mm X 15 cm
ZI-303.15	Ø 3.0 mm X 20 cm
ZI-303.16	Ø 3.0 mm X 25 cm

Luer lock	
ZI-304.11	Ø 2.0 mm X 15 cm
ZI-304.12	Ø 2.5 mm X 15 cm
ZI-304.13	Ø 2.5 mm X 20 cm
ZI-304.14	Ø 3.0 mm X 15 cm
ZI-304.15	Ø 3.0 mm X 20 cm
ZI-304.16	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)	
ZI-305.11	Ø 2.0 mm X 15 cm
ZI-305.12	Ø 2.5 mm X 15 cm
ZI-305.13	Ø 2.5 mm X 20 cm
ZI-305.14	Ø 3.0 mm X 15 cm
ZI-305.15	Ø 3.0 mm X 20 cm
ZI-305.16	Ø 3.0 mm X 25 cm

Power Cannula	
ZI-306.11	Ø 2 mm X 15 cm
ZI-306.12	Ø 2 mm X 20 cm
ZI-306.13	Ø 2 mm X 25 cm
ZI-306.14	Ø 2 mm X 30 cm
ZI-306.15	Ø 2 mm X 35 cm
ZI-306.16	Ø 3 mm X 15 cm
ZI-306.17	Ø 3 mm X 20 cm
ZI-306.18	Ø 3 mm X 25 cm
ZI-306.19	Ø 3 mm X 30 cm
ZI-306.20	Ø 3 mm X 35 cm
ZI-306.21	Ø 4 mm X 15 cm
ZI-306.22	Ø 4 mm X 20 cm
ZI-306.23	Ø 4 mm X 25 cm
ZI-306.24	Ø 4 mm X 30 cm
ZI-306.25	Ø 4 mm X 35 cm
ZI-306.26	Ø 5 mm X 15 cm
ZI-306.27	Ø 5 mm X 20 cm
ZI-306.28	Ø 5 mm X 25 cm
ZI-306.29	Ø 5 mm X 30 cm
ZI-306.30	Ø 5 mm X 35 cm
ZI-306.31	Ø 6 mm X 15 cm
ZI-306.32	Ø 6 mm X 20 cm
ZI-306.33	Ø 6 mm X 25 cm
ZI-306.34	Ø 6 mm X 30 cm
ZI-306.35	Ø 6 mm X 35 cm

Harvester *Cannulas*



Multi Port Harvester - Both End Bevel

A sophisticated, precision-designed harvester that is truly Patient Friendly. The ports in the Sorensen Harvester are machined with alternating 60 degree cutting edges. This unique design is less traumatic than other multi-port harvesters and delivers a fine-grained, high fat content/purity yield that can easily pass through 1.2mm, 0.9mm and 0.7mm blunt injectors.

60ccTommyhub

ZI-301.21	Ø 2.5 mm X 15 cm
ZI-301.22	Ø 2.5 mm X 20 cm
ZI-301.23	Ø 3.0 mm X 15 cm
ZI-301.24	Ø 3.0 mm X 20 cm
ZI-301.25	Ø 3.0 mm X 25 cm
ZI-301.26	Ø 4.0 mm X 25 cm
ZI-301.27	Ø 4.0 mm X 30 cm
ZI-301.28	Ø 4.0 mm X 35 cm
ZI-301.29	Ø 4.5 mm X 30 cm
ZI-301.30	Ø 4.5 mm X 35 cm

Treaded Hub

ZI-302.21	Ø 3.0 mm X 15 cm
ZI-302.22	Ø 3.0 mm X 25 cm
ZI-302.23	Ø 4.0 mm X 15 cm
ZI-302.24	Ø 4.0 mm X 25 cm

Ultra Luer lock

ZI-303.21	Ø 2.0 mm X 15 cm
ZI-303.22	Ø 2.5 mm X 15 cm
ZI-303.23	Ø 2.5 mm X 20 cm
ZI-303.24	Ø 3.0 mm X 15 cm
ZI-303.25	Ø 3.0 mm X 20 cm
ZI-303.26	Ø 3.0 mm X 25 cm

Luer lock

ZI-304.21	Ø 2.0 mm X 15 cm
ZI-304.22	Ø 2.5 mm X 15 cm
ZI-304.23	Ø 2.5 mm X 20 cm
ZI-304.24	Ø 3.0 mm X 15 cm
ZI-304.25	Ø 3.0 mm X 20 cm
ZI-304.26	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)


ZI-305.21	Ø 2.0 mm X 15 cm
ZI-305.22	Ø 2.5 mm X 15 cm
ZI-305.23	Ø 2.5 mm X 20 cm
ZI-305.24	Ø 3.0 mm X 15 cm
ZI-305.25	Ø 3.0 mm X 20 cm
ZI-305.26	Ø 3.0 mm X 25 cm

Power Cannula


ZI-306.21	Ø 2 mm X 15 cm
ZI-306.22	Ø 2 mm X 20 cm
ZI-306.23	Ø 2 mm X 25 cm
ZI-306.24	Ø 2 mm X 30 cm
ZI-306.25	Ø 2 mm X 35 cm
ZI-306.26	Ø 3 mm X 15 cm
ZI-306.27	Ø 3 mm X 20 cm
ZI-306.28	Ø 3 mm X 25 cm
ZI-306.29	Ø 3 mm X 30 cm
ZI-306.30	Ø 3 mm X 35 cm
ZI-306.31	Ø 4 mm X 15 cm
ZI-306.32	Ø 4 mm X 20 cm
ZI-306.33	Ø 4 mm X 25 cm
ZI-306.34	Ø 4 mm X 30 cm
ZI-306.35	Ø 4 mm X 35 cm
ZI-306.36	Ø 5 mm X 15 cm
ZI-306.37	Ø 5 mm X 20 cm
ZI-306.38	Ø 5 mm X 25 cm
ZI-306.39	Ø 5 mm X 30 cm
ZI-306.40	Ø 5 mm X 35 cm
ZI-306.41	Ø 6 mm X 15 cm
ZI-306.42	Ø 6 mm X 20 cm
ZI-306.43	Ø 6 mm X 25 cm
ZI-306.44	Ø 6 mm X 30 cm
ZI-306.45	Ø 6 mm X 35 cm

INJECTOR Cannulas

(Micro Injectors)



Injector Cannulas



Sharp Extractor/Injector

This tip works well for needle extraction of soft tissue and as a soft tissue reinjection needle.



Ultra Luer lock		Luer lock	
ZI-403.01	Ø 1.0 mm X 5 cm	ZI-404.01	Ø 1.0 mm X 5 cm
ZI-403.02	Ø 1.0 mm X 7 cm	ZI-404.02	Ø 1.0 mm X 7 cm
ZI-403.03	Ø 2.0 mm X 15 cm	ZI-404.03	Ø 2.0 mm X 15 cm
ZI-403.04	Ø 2.5 mm X 15 cm	ZI-404.04	Ø 2.5 mm X 15 cm
ZI-403.05	Ø 3.0 mm X 15 cm	ZI-404.05	Ø 3.0 mm X 15 cm

Luer lock (Stainless Steel)					
	3cm	5cm	7cm	10cm	12cm
1.1Ø	ZI-405.01	ZI-405.11	ZI-405.21	ZI-405.31	ZI-405.41
1.4Ø	ZI-405.02	ZI-405.12	ZI-405.22	ZI-405.32	ZI-405.42
1.8Ø	ZI-405.03	ZI-405.13	ZI-405.23	ZI-405.33	ZI-405.43
2.0Ø	ZI-405.04	ZI-405.14	ZI-405.24	ZI-405.34	ZI-405.44

Blunt Extractor/Injector

This tip works well for needle extraction of soft tissue and as a soft tissue reinjection needle.



Ultra Luer lock		Luer lock	
ZI-403.11	Ø 2.0 mm X 15 cm	ZI-404.11	Ø 2.0 mm X 15 cm
ZI-403.12	Ø 2.5 mm X 15 cm	ZI-404.12	Ø 2.5 mm X 15 cm
ZI-403.13	Ø 3.0 mm X 15 cm	ZI-404.13	Ø 3.0 mm X 15 cm

Luer lock (Stainless Steel)					
	3cm	5cm	7cm	10cm	12cm
1.1Ø	ZI-405.51	ZI-405.61	ZI-405.71	ZI-405.81	ZI-405.91
1.4Ø	ZI-405.52	ZI-405.62	ZI-405.72	ZI-405.82	ZI-405.92
1.8Ø	ZI-405.53	ZI-405.63	ZI-405.73	ZI-405.83	ZI-405.93
2.0Ø	ZI-405.54	ZI-405.64	ZI-405.74	ZI-405.84	ZI-405.94

Blunt Tip Injector

Rounded blunt tip design passes through soft tissue easily without the trauma or potential problems of sharp instruments.



Ultra Luer lock		Luer lock	
ZI-403.21	Ø 1.0 mm X 4 cm	ZI-404.21	Ø 1.0 mm X 4 cm
ZI-403.22	Ø 1.0 mm X 5 cm	ZI-404.22	Ø 1.0 mm X 5 cm
ZI-403.23	Ø 1.0 mm X 7 cm	ZI-404.23	Ø 1.0 mm X 7 cm
ZI-403.24	Curved 12 cm	ZI-404.24	Curved 12 cm
ZI-403.25	Curved 15 cm	ZI-404.25	Curved 15 cm
ZI-403.26	Curved 20 cm	ZI-404.26	Curved 20 cm

Luer lock (Stainless Steel)					
	3cm	5cm	7cm	10cm	12cm
1.1Ø	ZI-405.101	ZI-405.111	ZI-405.121	ZI-405.131	ZI-405.141
1.4Ø	ZI-405.102	ZI-405.112	ZI-405.122	ZI-405.132	ZI-405.142
1.8Ø	ZI-405.103	ZI-405.113	ZI-405.123	ZI-405.133	ZI-405.143
2.0Ø	ZI-405.104	ZI-405.114	ZI-405.124	ZI-405.134	ZI-405.144

Injector Cannulas




Fig. 2B



Luer lock (Stainless Steel)					
	3cm	5cm	7cm	10cm	12cm
1.1Ø	ZI-405.201	ZI-405.211	ZI-405.221	ZI-405.231	ZI-405.241
1.4Ø	ZI-405.202	ZI-405.212	ZI-405.222	ZI-405.232	ZI-405.242
1.8Ø	ZI-405.203	ZI-405.213	ZI-405.223	ZI-405.233	ZI-405.243
2.0Ø	ZI-405.204	ZI-405.214	ZI-405.224	ZI-405.234	ZI-405.244

Fig. 1C



Luer lock (Stainless Steel)					
	3cm	5cm	7cm	10cm	12cm
1.1Ø	ZI-405.251	ZI-405.261	ZI-405.271	ZI-405.281	ZI-405.291
1.4Ø	ZI-405.252	ZI-405.262	ZI-405.272	ZI-405.282	ZI-405.292
1.8Ø	ZI-405.253	ZI-405.263	ZI-405.273	ZI-405.283	ZI-405.293
2.0Ø	ZI-405.254	ZI-405.264	ZI-405.274	ZI-405.284	ZI-405.294

Fig. 1P




Luer lock (Stainless Steel)					
	3cm	5cm	7cm	10cm	12cm
1.1Ø	ZI-405.301	ZI-405.311	ZI-405.321	ZI-405.331	ZI-405.341
1.4Ø	ZI-405.302	ZI-405.312	ZI-405.322	ZI-405.332	ZI-405.342
1.8Ø	ZI-405.303	ZI-405.313	ZI-405.323	ZI-405.333	ZI-405.343
2.0Ø	ZI-405.304	ZI-405.314	ZI-405.324	ZI-405.334	ZI-405.344

Fig. 2E



Luer lock (Stainless Steel)					
	3cm	5cm	7cm	10cm	12cm
1.1Ø	ZI-405.351	ZI-405.361	ZI-405.371	ZI-405.381	ZI-405.391
1.4Ø	ZI-405.352	ZI-405.362	ZI-405.372	ZI-405.382	ZI-405.392
1.8Ø	ZI-405.353	ZI-405.363	ZI-405.373	ZI-405.383	ZI-405.393
2.0Ø	ZI-405.354	ZI-405.364	ZI-405.374	ZI-405.384	ZI-405.394

Injector Cannulas



Coleman Liposuction Cannula Fig. MIC I

Luer lock (Stainless Steel)

	3cm	5cm	7cm	10cm	12cm	15cm	20cm	3.5cm
1.1Ø	ZI-405.401	ZI-405.411	ZI-405.421	ZI-405.431	ZI-405.441	ZI-405.451	ZI-405.461	ZI-405.471
1.4Ø	ZI-405.402	ZI-405.412	ZI-405.422	ZI-405.432	ZI-405.442	ZI-405.452	ZI-405.462	ZI-405.472
1.8Ø	ZI-405.403	ZI-405.413	ZI-405.423	ZI-405.433	ZI-405.443	ZI-405.453	ZI-405.463	ZI-405.473
2.0Ø	ZI-405.404	ZI-405.414	ZI-405.424	ZI-405.434	ZI-405.444	ZI-405.454	ZI-405.464	ZI-405.474
2.5Ø	ZI-405.405	ZI-405.415	ZI-405.425	ZI-405.435	ZI-405.445	ZI-405.455	ZI-405.465	ZI-405.475



Coleman Liposuction Cannula Fig. MIC II

Luer lock (Stainless Steel)

	3cm	5cm	7cm	10cm	12cm	15cm	20cm
1.1Ø	ZI-405.501	ZI-405.511	ZI-405.521	ZI-405.531	ZI-405.541	ZI-405.551	ZI-405.561
1.4Ø	ZI-405.502	ZI-405.512	ZI-405.522	ZI-405.532	ZI-405.542	ZI-405.552	ZI-405.562
1.8Ø	ZI-405.503	ZI-405.513	ZI-405.523	ZI-405.533	ZI-405.543	ZI-405.553	ZI-405.563
2.0Ø	ZI-405.504	ZI-405.514	ZI-405.524	ZI-405.534	ZI-405.544	ZI-405.554	ZI-405.564
2.5Ø	ZI-405.505	ZI-405.515	ZI-405.525	ZI-405.535	ZI-405.545	ZI-405.555	ZI-405.565



Coleman Liposuction Cannula Spoon Tip Fig. MIC III

This tip works well for needle extraction of soft tissue and as a soft tissue re injection needle.

Luer lock (Stainless Steel)

	3cm	5cm	7cm	10cm	12cm	15cm	20cm
1.1Ø	ZI-405.601	ZI-405.611	ZI-405.621	ZI-405.631	ZI-405.641	ZI-405.651	ZI-405.661
1.4Ø	ZI-405.602	ZI-405.612	ZI-405.622	ZI-405.632	ZI-405.642	ZI-405.652	ZI-405.662
1.8Ø	ZI-405.603	ZI-405.613	ZI-405.623	ZI-405.633	ZI-405.643	ZI-405.653	ZI-405.663
2.0Ø	ZI-405.604	ZI-405.614	ZI-405.624	ZI-405.634	ZI-405.644	ZI-405.654	ZI-405.664
2.5Ø	ZI-405.605	ZI-405.615	ZI-405.625	ZI-405.635	ZI-405.645	ZI-405.655	ZI-405.665

Little Injector

Open and more pointed blunt tip is very effective in dense and fibrous tissue.



Ultra Luer lock

ZI-403.51	Ø 1.0 mm X 4 cm
ZI-403.52	Ø 1.0 mm X 5 cm
ZI-403.53	Ø 1.0 mm X 7 cm

Luer lock

ZI-404.51	Ø 1.0 mm X 4 cm
ZI-404.52	Ø 1.0 mm X 5 cm
ZI-404.53	Ø 1.0 mm X 7 cm

Luer lock (Stainless Steel)

	3cm	5cm	7cm	10cm	12cm
1.1Ø	ZI-405.701	ZI-405.711	ZI-405.721	ZI-405.731	ZI-405.741
1.4Ø	ZI-405.702	ZI-405.712	ZI-405.722	ZI-405.732	ZI-405.742
1.8Ø	ZI-405.703	ZI-405.713	ZI-405.723	ZI-405.733	ZI-405.743
2.0Ø	ZI-405.704	ZI-405.714	ZI-405.724	ZI-405.734	ZI-405.744

Injector Cannulas




Fig. 1B

Luer lock (Stainless Steel)

	3cm	5cm	7cm	10cm	12cm	15cm	20cm
1.1Ø	ZI-405.801	ZI-405.811	ZI-405.821	ZI-405.831	ZI-405.841	ZI-405.851	ZI-405.861
1.4Ø	ZI-405.802	ZI-405.812	ZI-405.822	ZI-405.832	ZI-405.842	ZI-405.852	ZI-405.862
1.8Ø	ZI-405.803	ZI-405.813	ZI-405.823	ZI-405.833	ZI-405.843	ZI-405.853	ZI-405.863
2.0Ø	ZI-405.804	ZI-405.814	ZI-405.824	ZI-405.834	ZI-405.844	ZI-405.854	ZI-405.864
2.5Ø	ZI-405.805	ZI-405.815	ZI-405.825	ZI-405.835	ZI-405.845	ZI-405.855	ZI-405.865

Curved Injectors



Curved Injectors

New Curved Injectors are designed especially for fat transfer procedures to the body. Their unique shape mimics the anatomical curvature of the female torso and, thus, easily produces the natural-looking results that patients desire. Curved Injection Cannulas ameliorate the fat transfer process by providing a direct and precise route to the injection site and by lessening the time required to correctly sculpt curves.


SPECIALITY Cannulas

ZOUNDS INDUSTRIES Speciality Cannula are useful tools for different to operation are such as face or Neck.



Body
SHAPE YOUR

Speciality Cannulas



V-Dissector

This cannula is specifically designed for use in the superficial compartment of the truncal area. The cutting notch is very useful for undermining in facial procedures and in dense, fibrous tissue.

60cc Tommeyhub	
ZI-501.01	Ø 2.5 mm X 15 cm
ZI-501.02	Ø 2.5 mm X 20 cm
ZI-501.03	Ø 3.0 mm X 15 cm
ZI-501.04	Ø 3.0 mm X 20 cm
ZI-501.05	Ø 3.0 mm X 25 cm
ZI-501.06	Ø 4.0 mm X 25 cm
ZI-501.07	Ø 4.0 mm X 30 cm
ZI-501.08	Ø 4.0 mm X 35 cm
ZI-501.09	Ø 4.5 mm X 30 cm
ZI-501.10	Ø 4.5 mm X 35 cm

Treaded Hub	
ZI-502.01	Ø 3.0 mm X 15 cm
ZI-502.02	Ø 3.0 mm X 25 cm
ZI-502.03	Ø 4.0 mm X 15 cm
ZI-502.04	Ø 4.0 mm X 25 cm


Ultra Luer lock	
ZI-503.01	Ø 2.0 mm X 15 cm
ZI-503.02	Ø 2.5 mm X 15 cm
ZI-503.03	Ø 2.5 mm X 20 cm
ZI-503.04	Ø 3.0 mm X 15 cm
ZI-503.05	Ø 3.0 mm X 20 cm
ZI-503.06	Ø 3.0 mm X 25 cm

Luer lock	
ZI-504.01	Ø 2.0 mm X 15 cm
ZI-504.02	Ø 2.5 mm X 15 cm
ZI-504.03	Ø 2.5 mm X 20 cm
ZI-504.04	Ø 3.0 mm X 15 cm
ZI-504.05	Ø 3.0 mm X 20 cm
ZI-504.06	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)	
ZI-505.01	Ø 2.0 mm X 15 cm
ZI-505.02	Ø 2.5 mm X 15 cm
ZI-505.03	Ø 2.5 mm X 20 cm
ZI-505.04	Ø 3.0 mm X 15 cm
ZI-505.05	Ø 3.0 mm X 20 cm
ZI-505.06	Ø 3.0 mm X 25 cm

Power Cannula	
ZI-506.01	Ø 2 mm X 15 cm
ZI-506.02	Ø 2 mm X 20 cm
ZI-506.03	Ø 2 mm X 25 cm
ZI-506.04	Ø 2 mm X 30 cm
ZI-506.05	Ø 2 mm X 35 cm
ZI-506.06	Ø 3 mm X 15 cm
ZI-506.07	Ø 3 mm X 20 cm
ZI-506.08	Ø 3 mm X 25 cm
ZI-506.09	Ø 3 mm X 30 cm
ZI-506.10	Ø 3 mm X 35 cm
ZI-506.11	Ø 4 mm X 15 cm
ZI-506.12	Ø 4 mm X 20 cm
ZI-506.13	Ø 4 mm X 25 cm
ZI-506.14	Ø 4 mm X 30 cm
ZI-506.15	Ø 4 mm X 35 cm
ZI-506.16	Ø 5 mm X 15 cm
ZI-506.17	Ø 5 mm X 20 cm
ZI-506.18	Ø 5 mm X 25 cm
ZI-506.19	Ø 5 mm X 30 cm
ZI-506.20	Ø 5 mm X 35 cm
ZI-506.21	Ø 6 mm X 15 cm
ZI-506.22	Ø 6 mm X 20 cm
ZI-506.23	Ø 6 mm X 25 cm
ZI-506.24	Ø 6 mm X 30 cm
ZI-506.25	Ø 6 mm X 35 cm

Speciality Cannulas



Flap

The Flap is primarily used as an undermining dissector, and in smaller diameters, for facial tissue removal. The Flap Cannula in a 2.1mm diameter is very useful for undermining the nasolabial fold prior to autologous tissue injections, as well as for tissue removal in this anatomic area.

60cc Tommeyhub	
ZI-501.11	Ø 2.5 mm X 15 cm
ZI-501.12	Ø 2.5 mm X 20 cm
ZI-501.13	Ø 3.0 mm X 15 cm
ZI-501.14	Ø 3.0 mm X 20 cm
ZI-501.15	Ø 3.0 mm X 25 cm
ZI-501.16	Ø 4.0 mm X 25 cm
ZI-501.17	Ø 4.0 mm X 30 cm
ZI-501.18	Ø 4.0 mm X 35 cm
ZI-501.19	Ø 4.5 mm X 30 cm
ZI-501.20	Ø 4.5 mm X 35 cm

Treaded Hub	
ZI-502.11	Ø 3.0 mm X 15 cm
ZI-502.12	Ø 3.0 mm X 25 cm
ZI-502.13	Ø 4.0 mm X 15 cm
ZI-502.14	Ø 4.0 mm X 25 cm


Ultra Luer lock	
ZI-503.11	Ø 2.0 mm X 15 cm
ZI-503.12	Ø 2.5 mm X 15 cm
ZI-503.13	Ø 2.5 mm X 20 cm
ZI-503.14	Ø 3.0 mm X 15 cm
ZI-503.15	Ø 3.0 mm X 20 cm
ZI-503.16	Ø 3.0 mm X 25 cm

Luer lock	
ZI-504.11	Ø 2.0 mm X 15 cm
ZI-504.12	Ø 2.5 mm X 15 cm
ZI-504.13	Ø 2.5 mm X 20 cm
ZI-504.14	Ø 3.0 mm X 15 cm
ZI-504.15	Ø 3.0 mm X 20 cm
ZI-504.16	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)	
ZI-505.11	Ø 2.0 mm X 15 cm
ZI-505.12	Ø 2.5 mm X 15 cm
ZI-505.13	Ø 2.5 mm X 20 cm
ZI-505.14	Ø 3.0 mm X 15 cm
ZI-505.15	Ø 3.0 mm X 20 cm
ZI-505.16	Ø 3.0 mm X 25 cm

Power Cannula	
ZI-506.51	Ø 2 mm X 15 cm
ZI-506.52	Ø 2 mm X 20 cm
ZI-506.53	Ø 2 mm X 25 cm
ZI-506.54	Ø 2 mm X 30 cm
ZI-506.55	Ø 2 mm X 35 cm
ZI-506.56	Ø 3 mm X 15 cm
ZI-506.57	Ø 3 mm X 20 cm
ZI-506.58	Ø 3 mm X 25 cm
ZI-506.59	Ø 3 mm X 30 cm
ZI-506.60	Ø 3 mm X 35 cm
ZI-506.61	Ø 4 mm X 15 cm
ZI-506.62	Ø 4 mm X 20 cm
ZI-506.63	Ø 4 mm X 25 cm
ZI-506.64	Ø 4 mm X 30 cm
ZI-506.65	Ø 4 mm X 35 cm
ZI-506.66	Ø 5 mm X 15 cm
ZI-506.67	Ø 5 mm X 20 cm
ZI-506.68	Ø 5 mm X 25 cm
ZI-506.69	Ø 5 mm X 30 cm
ZI-506.70	Ø 5 mm X 35 cm
ZI-506.71	Ø 6 mm X 15 cm
ZI-506.72	Ø 6 mm X 20 cm
ZI-506.73	Ø 6 mm X 25 cm
ZI-506.74	Ø 6 mm X 30 cm
ZI-506.75	Ø 6 mm X 35 cm

Speciality Cannulas



Field Flap

With its elevated leading edge, this cannula is designed to open and expose soft tissue for more precise suctioning along the mandible and sub-mental areas.

60cc Tommeyhub

ZI-501.21	Ø 2.5 mm X 15 cm
ZI-501.22	Ø 2.5 mm X 20 cm
ZI-501.23	Ø 3.0 mm X 15 cm
ZI-501.24	Ø 3.0 mm X 20 cm
ZI-501.25	Ø 3.0 mm X 25 cm
ZI-501.26	Ø 4.0 mm X 25 cm
ZI-501.27	Ø 4.0 mm X 30 cm
ZI-501.28	Ø 4.0 mm X 35 cm
ZI-501.29	Ø 4.5 mm X 30 cm
ZI-501.30	Ø 4.5 mm X 35 cm

Treaded Hub

ZI-502.21	Ø 3.0 mm X 15 cm
ZI-502.22	Ø 3.0 mm X 25 cm
ZI-502.23	Ø 4.0 mm X 15 cm
ZI-502.24	Ø 4.0 mm X 25 cm

Ultra Luer lock

ZI-503.21	Ø 2.0 mm X 15 cm
ZI-503.22	Ø 2.5 mm X 15 cm
ZI-503.23	Ø 2.5 mm X 20 cm
ZI-503.24	Ø 3.0 mm X 15 cm
ZI-503.25	Ø 3.0 mm X 20 cm
ZI-503.26	Ø 3.0 mm X 25 cm

Luer lock

ZI-504.21	Ø 2.0 mm X 15 cm
ZI-504.22	Ø 2.5 mm X 15 cm
ZI-504.23	Ø 2.5 mm X 20 cm
ZI-504.24	Ø 3.0 mm X 15 cm
ZI-504.25	Ø 3.0 mm X 20 cm
ZI-504.26	Ø 3.0 mm X 25 cm


Luer lock (Stainless Steel)

ZI-505.21	Ø 2.0 mm X 15 cm
ZI-505.22	Ø 2.5 mm X 15 cm
ZI-505.23	Ø 2.5 mm X 20 cm
ZI-505.24	Ø 3.0 mm X 15 cm
ZI-505.25	Ø 3.0 mm X 20 cm
ZI-505.26	Ø 3.0 mm X 25 cm

Power Cannula

ZI-506.101	Ø 2 mm X 15 cm
ZI-506.102	Ø 2 mm X 20 cm
ZI-506.103	Ø 2 mm X 25 cm
ZI-506.104	Ø 2 mm X 30 cm
ZI-506.105	Ø 2 mm X 35 cm
ZI-506.106	Ø 3 mm X 15 cm
ZI-506.107	Ø 3 mm X 20 cm
ZI-506.108	Ø 3 mm X 25 cm
ZI-506.109	Ø 3 mm X 30 cm
ZI-506.110	Ø 3 mm X 35 cm
ZI-506.111	Ø 4 mm X 15 cm
ZI-506.112	Ø 4 mm X 20 cm
ZI-506.113	Ø 4 mm X 25 cm
ZI-506.114	Ø 4 mm X 30 cm
ZI-506.115	Ø 4 mm X 35 cm
ZI-506.116	Ø 5 mm X 15 cm
ZI-506.117	Ø 5 mm X 20 cm
ZI-506.118	Ø 5 mm X 25 cm
ZI-506.119	Ø 5 mm X 30 cm
ZI-506.120	Ø 5 mm X 35 cm
ZI-506.121	Ø 6 mm X 15 cm
ZI-506.122	Ø 6 mm X 20 cm
ZI-506.123	Ø 6 mm X 25 cm
ZI-506.124	Ø 6 mm X 30 cm
ZI-506.125	Ø 6 mm X 35 cm

Speciality Cannulas



Ultra Luer Lock

The Super Luer Lock is on our Single-use instruments.

Tumescent Infiltrator

This cannula is used specifically for the infusion of tumescent solution and for hydraulic dissection. The configuration of the ports allows even distribution of the fluid.

SL-601.01	Ø 2.0 mm X 12cm
SL-601.02	Ø 2.0 mm X 20cm



Tonnard Harvester

A multiport harvester with 1mm elevated sharp microports. The 20 port configuration allows for harvesting both on the forward and backward strokes.

SL-602.01	Ø 3.0 mm X 20cm
SL-602.02	Ø 2.4 mm X 20cm



Tonnard Harvester

Excellent for harvesting small aliquots of tissues.

SL-603.01	Ø 2.5 mm X 15cm
SL-603.02	Ø 2.0 mm X 15cm



Carraway Harvester

Spiral three port design effective for multi-plane tissue harvesting.

SL-604.01	Ø 2.5 mm X 15cm
SL-604.02	Ø 2.0 mm X 10cm
SL-604.03	Ø 2.0 mm X 15cm
SL-604.04	Ø 1.5 mm X 8cm
SL-604.05	Ø 1.5 mm X 10cm



Injector

Round blunt tip design passes through soft tissue easily without the trauma or potential problems of sharp injectors.

SL-605.01	Ø 1.5 mm X 9cm
SL-605.02	Ø 1.5 mm X 7cm
SL-605.03	Ø 1.0 mm X 5cm
SL-605.04	Ø 1.0 mm X 4cm



Spoon Tip Injector

Blunt injector designed with a more open port for rapid injection of larger volumes - a torso and buttock workhorse.

SL-606.01	Ø 3.0 mm X 20cm
SL-606.02	Ø 2.0 mm X 15cm



Miller Speed Harvester

SL-607.01	Ø 2.0 mm X 15cm
-----------	-----------------




HOT
Favourite
PRODUCT

LIPOSUCTION ACCESSORIES


- AdaptorHandle
- LuerLockHandle
- NanoFilter
- AerobicTransfer
- AutologousNanoFatTransferLuertoLuerSetforLiposuction
- DecantStandAnaerobicTransfers
- SyringeHoldingStand
- JohnnieLok
- Crown
- PowerAdaptor
- PowerInjector
- FatSyringe
- Snaplok
- Two-WayValve
- 60ccHoldingSyringe
- IVSpike
- NeedleConnector

Accessories *Liposuction*



AdaptorHandle

ZI-650.01



LuerLockHandle

ZI-650.02



ThreadedHandle

ZI-650.03



ThreadedHandle

ZI-650.04

Accessories *Liposuction*



NanoFilter

ZI-651.01

Introducing the patent-pending NanoTransfer. This proprietary closed system helps size adipose tissue so that it is injectable with 27g and 30g needles. NanoTransfer - taking fat transfer to the smallest level.



AnaerobicTransfers

Luer to Luer

ZI-652.12 1.2 mm

ZI-652.14 1.4 mm

ZI-652.24 2.4mm



AutologousNanoFatTransferLuerToLuerSetforLiposuction

ZI-653.05 0.9 x 5

ZI-653.07 0.7 x 9

ZI-653.12 0.5 x 12

Accessories *Liposuction*



DecantStandAnaerobicTransfers

Anaerobic transfers are used to prepare and transfer extracted tissue for re-injection. The Decant Stand design also allows for a natural gravity decant of extracted tissue.

- ZI-654.01 60cc Toomey to 60cc Toomey
- ZI-654.02 60cc Toomey to Luer Lock
- ZI-654.03 60cc BD to Luer Lock
- ZI-654.04 Luer Lock to Luer Lock



SyringeHoldingStands

ZI-655.01

Accessories *Liposuction*



SyringeStopper


ZI-656.01



JohnnieLok

The JohnnieLok holds the plunger under vacuum for easy syringe harvesting. The plunger is drawn back to the desired pressure level then twisted and locked securely.

ZI-657.01



Crown

A tiny device with a huge impact - Crowns change the centrifuge game. The Crown is designed to keep syringe contents in a virtually anaerobic atmosphere during centrifuging. Simply attach a Crown to the syringe plunger, harvest, then twist the plunger off. The Crown also has a bonus, self-sealing extractor port for cleanly removing contents from any layer of centrifuged tissue.

- ZI-658.01 60cc Monoject
- ZI-658.02 60cc BD
- ZI-658.03 20cc BD
- ZI-658.04 10cc BD

Accessories *Liposuction*



PowerAdaptor

The Tulip Power Adaptor modifies the syringe barrel for use with a liposuction aspirating machine.

ZI-659.01



PowerInjector

The Power Injector allows the surgeon to re-inject soft tissue through large or small diameter injectors with very little effort and maximum control. The Universal Power Injector will hold a 10cc or a 20cc BD syringe or a BD syringe or 60cc Monoject syringe.

- ZI-660.20 20cc
- ZI-660.10 10cc
- ZI-660.00 Universal (for both 20 and 10cc syringes)


Accessories *Liposuction*



FatSyringe

The fat syringe is an ideal tool to help surgeons for manual liposuction by creating negative pressure.

- ZI-661.60 50/60 cc
- ZI-661.20 20 cc
- ZI-661.10 10 cc
- ZI-661.05 5 cc
- ZI-661.03 3 cc



SnapLoks

These syringe snap locks fit into the lunger flanges of the syringe. When the plunger is pulled out the lock snaps open on the barrel lip thus holding the syringe under vacuum.

- ZI-662.60 60cc
- ZI-662.50 50cc
- ZI-662.35 35cc
- ZI-662.20 20cc
- ZI-662.10 10cc



Trocars

ZI-669.01

Accessories *Liposuction*



Two-Way Valve.

Transfer the fat to the collection bag and take the fat out after treatment for injection.
ZI-663.01



3Way Stopcock

ZI-663.02



60cc Holding Stands

ZI-664.01



Cannula Adaptor

ZI-670.01

Accessories *Liposuction*



IV Spike

IV connector for use with reusable tubing.


ZI-665.01 stainless steel



Needle Connector

Needle connector for use with reusable tubing.

ZI-666.01 Length 2.3"



Skin Part

Skin Part for use in skin for pipe inserts.

ZI-667.01 6mm
ZI-667.02 5mm
ZI-667.03 4mm

Accessories *Liposuction*



Liposuctionjar

ZI-668.01

LIPOSUCTION

Workstation

